





At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their garden tools.

Every Ryobi® garden tool is a culmination of outstanding performance coupled with value and proven reliability making Ryobi® the number one choice for home-users.

CONTENTS

Key	4–5
New for 2013	6-9
Cordless Garden Tools	10-27
Lawn Care	28-45
Tree and Hedge Care	46-55
Garden Tidy Up	56-63
Pressure Washers	64-67



SYOBI

KEY



Mowing Area



Cutting Height



Self-propelled



48V Battery



Charging Time



Hedge Trimmer Blade Length



Hedge Trimmer Cutting Capacity Laser Cut



36V Battery



Mulching Ratio



Charging Time



18V Battery



Cutting Path Diameter



Cutting Line Diameter



Length



Nm



High Speed Nozzle



Tool-less



Blower Speed



Variable Speed



Low Noise



Anti-Vibration



Mower Cutting Volume



Tool-less Shear



Telescoping Shaft



Hedge Trimmer Diamond Ground



Blade Length Pruner



Tool-less Pruner



Blade Width Shear



Air Volume



Shear



2 Stroke Engine



XXcc



Horse Power



Tri-Arc+™ Blade



Bike Handle



Watt



Bump Head



Chain Pitch



Collection Bag Size



Chainsaw Bar Length



Hedge Trimmer Rotating Rear Handle



Telescoping Tubes



Quick Connection



Bar Flow Rate I/h



Siphon Function



Detergent Dispenser



Auto Feed



Fuel Gauge



Auto Feed Twist Line



Rotating Bike Handle









Guide to key features

Look out for these innovative features on our product pages...



Ergonomic tool design to aid user's standing position during tool use



StartEasy™ carburettor for easy starting on our petrol brush cutters



Simple transition from edging to trimming applications on line trimmers



RealEasy[™] bump feed heads for rapid line replenishment on line trimmers



18V battery platform with inter-changable batteries across a range of power and garden tools



No mixing of fuel and oil required on our 4-Cycle petrol line trimmers and brush cutters



Products compatible with our Expand-it™ attachments, enabiling the user to adapt a power head into up to 7 tools with a range of after market accessories



Debris sweeper for hedge trimmers, to aid easy removal of clippings



Monitors and balances individual cells in our 36V batteries. Maximises run times, storage life and safety, while providing 10% more usable power



Hardened steel brush cutter cutting blade



Offers the user extended reach at a comfortable holding position on hedge trimmers




NEW from Ryobi® 2013

Do More - maximum performance & extended run time



VERTEBRAE"

Ryobi's new standard in garden equipment designed for optimum comfort and usability.





Designed with user comfort in mind





Ryobi[®] Engine Technology: Choosing the correct power platform

Ryobi® handheld petrol tools are built on solid engine platforms, perfectly suited to the size and demands of the required task.




PoWR LT2[™] series



2-Cycle 26cc and 30cc products





· Perfectly balanced.

· Easy starting.

· Great versatility.







POWR LT4™ series

4-Cycle 30cc products



- · 4-cycle. No mixing.
- Excellent power-to-weight ratio.
- More torque. Better performance.
- · Great versatility.
- Better durability.
- · Lower emissions.









POWR XT™ series

2-Cycle 25,4cc, 42cc and 51cc products



POWR XT

- Full crank. Less vibration.
- · Best performance.
- · Best versatility.
- Excellent user comfort.
- · Best durability.







Optional warranty extension available.

CORDLESS GARDEN TOOLS

48V Lawnmower	11
36V Lithium-ion Tools	11–15
One Plus™ 18V Tools	16–20
TEK4™ Tools	21
Battery & Charger Summary	22-23
Range Summary & Accessories	24-27





RLM4852L 48V Cordless Lawnmower

Nr. Code: 5133000681 EAN Code: 4892210812681

Features

- Cuts up to 2.000m² per charge
- · Convenient single point height adjust lever for 7 lengths of grass cutting
- Easy access to the battery
- 52cm deck for increased cutting width

















Included as standard

1 x 48V Lead acid battery, mulching plug, side eject kit

RHT36 36V Lithium-ion 2,6Ah Hedge Trimmer

Nr. Code: 5133000725 FAN Code: 4892210811813


Features

- Up to 90 minutes run time
- Anti-slip teeth grip each branch during cutting for a cleaner cut and more efficient trimming
- Laser cut diamond ground blades are precision cut and ultra sharp for cleaner cutting results
- Heavy duty Block Release[™] gear box retracts the blade if it gets stuck on a hard branch

RLT36 36V Lithium-ion 2,6Ah Line Trimmer







1 x 36V (2,6Ah) Lithium-ion battery, blade sheath, HedgeSweep™, charger













Nr. Code: 5133000683 EAN Code: 4892210811790

Features

- Up to 60 minutes run time
- · Rear mount battery for better balance and weight distribution
- · Variable speed trigger extends run time and allows for trimming against delicate surfaces
- · Auto-feed line conveniently maintains optimal cutting length





Included as standard

1 x 36V (2,6Ah) Lithium-ion battery, auto-feed line, charger



1.5Ah version also available as Nr. Code: 5133001873 EAN Code: 489221081942









RLM4852L		RHT36		RLT36	
Power input:	48V battery	Power input:	36V battery	Power input:	36V battery
Deck size/cutting diameter:	52cm	Cutting capacity:	20mm	Cutting diameter:	28-33cm
Motor speed:	3.000rpm	Blade length:	55cm	Max speed:	9.000-10.000rpm
Drive mechanism:	Self-propelled	Stroke rate:	3.000spm	Line feed system:	Auto-feed
Mulching capable:	Yes	Charge rate:	100% 100min.	Line type:	1,5mm twisted
Weight:	43,1kg	Weight:	4,2kg	Charge rate:	100% 100min.
				Weight:	4,1kg



RBC36X26B 36V Lithium-ion 4,0Ah Bike Handle

Brush Cutter

Nr. Code: 5133001813 EAN Code: 4892210818492

Features

- Up to 90 minutes free run time with a powerful 4,0Ah battery
- Two in one functionality, supplied with both line trimming head and brush cutter blade
- · Rear mount battery and inline motor for better balance and weight distribution
- · Variable speed trigger for extended run time









1 x 36V (4,0Ah) Lithium-ion battery, Tri-Arc+™ blade, cutting head with 1.6mm line, bike handle, double shoulder harness, charger













RBC36X26E 36V Lithium-ion 4,0Ah Ergo Handle

Brush Cutter

Nr. Code: 5133001851 FAN Code: 4892210819048

Features

- Up to 90 minutes free run time with a powerful 4,0Ah battery
- . Two in one functionality, supplied with both line trimming head and brush cutter blade
- · Rear mount battery and inline motor for better balance and weight distribution
- · Variable speed trigger for extended run time



VERTEBRAE



Included as standard

1 x 36V (4,0Ah) Lithium-ion battery, Tri-Arc+™ blade, cutting head with 1.6mm line, ergo handle, single shoulder strap, charger

















RBC36X26B

RBC36X26E

Power input:	36V battery	Power input:	36V battery
Cutting width:	Brush cutter 26cm / Line cutter 30cm	Cutting width:	Brush cutter 26cm / Line cutter 30cm
Line diameter:	1,6mm	Line diameter:	1,6mm
Blade speed:	9.000rpm	Blade speed:	9.000rpm
String speed:	8.000rpm	String speed:	8.000rpm
Charge rate:	100% 135min.	Charge rate:	100% 135min.
Weight:	Brush cutter 5,06kg / String trimmer 5,18kg	Weight:	Brush cutter 4,46kg / String trimmer 4,58kg



RCS36 36V Lithium-ion 2,6Ah Chainsaw

Nr. Code: 5133000677 EAN Code: 4892210811776

Features

- Up to 100 cuts through 4" (10cm) logs
- . Top mount battery for better balance and weight distribution
- Chain speed optimized for highest torque to virtually eliminate motor stalls during heavy cutting loads
- · Auto oiler automatically lubricates bar and chain to prolong tool life







Included as standard

1 x 36V (2.6Ah) Lithium-ion battery, scabbard, charger











RBL36B 36V Lithium-ion Blower

Nr. Code: 5133000676 EAN Code: 4892210811769

Features

- · Accepts 36V Lithium-ion battery (sold separately)
- Over 30 minutes of run time at full speed
- · Full variable speed trigger reduces noise, improves run time and gives the user more control
- · Removable high speed nozzle gives the option for high speed removal of wet leaves and debris, or high air volume for dry, loose matter







Included as standard

High speed nozzle









RCS36		RBL36B	
Power input:	36V battery	Power input:	36V battery
Torque:	4,4Nm	Airspeed:	up to 250km/h
Chain/bar length:	30cm	Switch:	Variable speed
Chain speed:	3,7m/s	Weight:	3,1kg
Tool-less chain tensioner:	Yes		
Charge rate:	100% 100min.		
Weight:	4,4kg		

14 | 36V LI-ION TOOLS

RLM36X40 36V Lithium-ion 4,0Ah Lawnmower

Nr. Code: 5133001747 EAN Code: 4892210817754

......

Features

- Cuts up to 600m² on a single battery charge with a powerful 4,0Ah battery
- · Convenient single point height adjust lever for 5 lengths of grass cutting
- · 40cm deck for large cutting width
- Bumpers to protect the mower when cutting close to hard surfaces

2.6Ah version also available as RLM3640Li

Nr. Code: 5133000679 EAN Code: 4892210812667





















Included as standard

1 x 36V (4,0Ah) Lithium-ion battery, 1 x mulching plug, charger





Features

- Cuts up to 600m² on a single battery charge with a powerful 4,0Ah battery
- Ergonomic handle design, with multiple grip positions and adjustable height for improved comfort
- Convenient single point height adjust lever for 5 lengths of grass cutting
- · 40cm deck for large cutting width
- · Bumpers to protect the mower when cutting close to hard surfaces


























1 x 36V (4,0Ah) Lithium-ion battery, 1 x mulching plug, charger

RLM36X40		RLM36X40H	
Power input:	36V battery	Power input:	36V battery
Deck size/cutting diameter:	40cm	Deck size/cutting diameter:	40cm
Blade speed:	3.500rpm	Blade speed:	3.500rpm
Drive mechanism:	Push	Drive mechanism:	Push
Mulching capable:	Yes	Mulching capable:	Yes
Charge rate:	100% 135min.	Charge rate:	100% 135min.
Weight:	18,0kg	Weight:	17,8kg















RLM36X40L 36V Lithium-ion 4,0Ah Lawnmower with LED battery indicator

8

NEW

Nr. Code: 5133001855 EAN Code: 4892210819086

Features

• Cuts up to 600m² on a single battery charge with a powerful 4,0Ah battery

- Ergonomic handle design, with multiple grip positions and adjustable height for improved comfort
- LED battery indicator
- · Convenient single point height adjust lever for 5 lengths of grass cutting
- · 40cm deck for large cutting width
- Bumpers to protect the mower when cutting close to hard surfaces







Included as standard

1 x 36V (4,0Ah) Lithium-ion battery, 1 x mulching plug, charger















RLM36X40L

Power input:	36V battery	
Deck size/cutting diameter:	40cm	
Blade speed:	3.500rpm	
Drive mechanism:	Push	
Mulching capable:	Yes	
Charge rate:	100% 135min.	
Weight:	17,8kg	



With One+ buying your first tool is just the beginning...



Buy any tool then expand your family for less. Buy additional tools without batteries and chargers, as a cost effective way to grow your collection.

Choose from over 35 garden & power tools

Ryobi's unique One+ system consists of range of over 35 tools for both home and garden that can all be powered using one battery and charger. Buy the tools you want at the time you need them and avoid paying over the odds for excess batteries and chargers. With everything from drills to radios, trimmers to paint sprayers the choice is there for you to grow your family of tools in whatever direction you want.



Do it your way

Choose a kit...

We offer a range of combination kits with different tools, batteries and chargers.

Or

Pick a tool...

Select the tool, battery & charger you want from the range as individual items.





RLT1825LI 18V One Plus™ EasyEdge

Lithium-ion Line Trimmer

Nr. Code: 5133001806. EAN Code: 4892210818423

Features

- Two handle design for improved user comfort
- EasyEdge[™] for quick transition to edging mode
- . 25cm cutting path for efficient cutting rate
- · Auto-feed line advances when you release the trigger







Included as standard

1 x 18V Compact Lithium-ion battery, charger











RLT1830LI 18V One Plus™ Lithium-ion Line Trimmer

Features

- Up to 25 minutes run time
- Extendable shaft to suit your style of working
- Rotatable head for edging
- · Auto-feed line advances when you release the trigger



Available as a bare unit without battery and charger as OLT1831

Nr. Code: 5133000728 FAN Code: 4892210812896

Included as standard

1 x 18V Compact Lithium-ion battery, charger









RHT1850LI 18V One Plus™ Lithium-ion Hedge Trimmer

Nr. Code: 5133000735 EAN Code: 4892210812582

Features

- Up to 35 minutes run time
- 50cm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep™ compatible blade bar (sold separately)



RIT182511

Available as a bare unit without battery and charger as OHT1851

Nr. Code: 5133000729 EAN Code: 4892210812902

Included as standard

1 x 18V Compact Lithium-ion battery, blade sheath, charger









HEI TOZULI		HEI TOOCEI		MITTIOSOLI	
Power input:	18V battery	Power input:	18V battery	Power input:	18V battery
No load speed:	9.300rpm	No load speed:	8.000rpm	Cutting capacity:	16mm
Line feed system:	Auto-feed	Line feed system:	Auto-feed	Stroke rate:	2.400spm
Cutting path width:	25cm	Cutting path width:	30cm	Blade length:	50cm
Cutting line diameter:	1,6mm	Cutting line diameter:	1,6mm	Charge rate:	100% 60min.
Charge rate:	100% 180min.	Charge rate:	100% 60min.	Weight:	2,7kg
Weight:	1.65ka	Weight:	3.2ka		



RHT1850XLI 18V One Plus™ Long Reach

Hedge Cutter Kit

Nr. Code: 5133001626 EAN Code: 4892210816924

Features

 4-position articulating head and rotating rear handle for optimum reach in all cutting applications

- · Central trigger for easy use in extended reach position
- HedgeSweep[™] debris sweeper for easy removal of clippings








Included as standard

1 x 18V Compact Lithium-ion battery, HedgeSweep™ blade sheath, charger



Nr. Code: 5133001249 EAN Code: 4892210815439









RHT1850XLI

Power input:	18V battery
Cutting capacity:	16mm
Stroke rate:	2.400spm
Blade length:	50cm
Charge rate:	100% 180min.
Weight:	3,73kg

Silion articulating



RPP1820LI 18V One Plus™ Pole Saw Kit

Nr. Code: 5133001628 EAN Code: 4892210816948

Features

Tool-less chain tensioner quickly and easily adjusts chain tension for best performance

· Extendable shaft for a reach of up to 4 metres

30° angled cutting head for safer and easier cutting



Also available as a bare unit without battery and charger as OPP1820

Nr. Code: 5133001250 EAN Code: 4892210815446









Included as standard

1 x 18V Compact Lithium-ion battery, bar & chain oil, scabbard, charger



Nr. Code: 5133000730 EAN Code: 4892210812612

Features

Accepts 18V One Plus[™] NiCad or Lithium-ion batteries (sold separately)

Shaft extends 40cm for hard to reach branches up to 3,5 meters high

· Tool-less blade clamp for quick and easy blade changes

Integrated branch hook to pull branches to the ground





Included as standard

1 x blade

RPP1820LI







Power input:	18V battery	Power input:	18V battery
Chain/bar length:		No load speed:	3.000spm
Chain speed:	5,5m/s	Max. cutting capacity:	wood 102mm
Charge rate:	100% 180min.		22mm
Weight:		Weight:	2 7kg

OPS1821

RYOBI

OBL1802 18V One Plus™ Blower

Nr. Code: 5133000731 EAN Code: 4892210812605

Features

- Accepts 18V One Plus™ NiCad or Lithium-ion batteries (sold separately)
- · Powerful but quiet blower/sweeper
- 120mph (193km/h) airflow speed
- Light weight for easy operation
- High speed nozzle design with debris scrapper





Included as standard

1 x nozzle







OGS1821 18V One Plus™ Shear & Shrubber

Nr. Code: 5133000732 EAN Code: 4892210812568

Features

- Accepts 18V One Plus[™] NiCad or Lithium-ion batteries (sold separately)
- · Light weight for easy operation
- · Sealed maintenance free blade gears
- · Tool-less blades for quick changes





Included as standard

1 x grass cutting blade, 1 x shrubbing blade



OGS1821









8mm 200mm 100mm

OBL1802 Power input: 18V hattery

Power input:	18V battery	Power input:
Air flow speed:	120mph (193km/h)	Cutting capacity:
Weight:		Shrubber blade:
		Shear blade:
		Weight without blade:



RGS410 TEK4™ Lithium-ion Shear Shrubber

Nr. Code: 5133000678 EAN Code: 4892210812506

Features

- · 4V Lithium-ion battery gives up to 55 minutes of run time on one battery charge
- · Precision ground blades provide cleaner cutting results
- Tool-less blade clamp allows you to quickly and easily change blades
- Trigger lock out prevents accidental starting



Included as standard

1 x 4V Lithium-ion battery, shrubber blade, shear blade, charger









RLP416 TEK4™ Lithium-ion Lopper



Nr. Code: 5133000682 FAN Code: 4892210812490

Features

- 4V Lithium-ion battery gives up to 500 9mm cuts on one battery charge
- · Precision ground blade provide cleaner cutting results
- 30° Angled handle for optimum user comfort
- · Trigger lock out prevents accidental starting





Included as standard

1 x 4V Lithium-ion battery, charger





RGSLP4 Lopper and Shear Shrubber Kit

Nr. Code: 5133000927 EAN Code: 4892210814142

Features

RGS410

· Combination kit including both the 4V shear shrubber and lopper



Included as standard

1 x 4V Lithium-ion battery, charger



1100-110		1121 410	
Power input:	4V battery	Power input:	4V battery
 Cutting capacity:	8mm	Cutting capacity:	Soft wood 16mm, Hard wood 10mm
 Shrubber blade:	120mm	Pole attachment compatible:	Yes
 Shear blade:	80mm	Charge rate:	100% 210-270min.
 Charge rate:	100% 210-270min.	Weight:	0,7kg

Pole attachment compatible:

Weight with shrubber blade: 0,6kg

BATTERY & CHARGER OPTIONS

36V LITHIUM-ION **BATTERIES & CHARGERS**







Specification		
Description		

1 x (4,0Ah) Lithium-ion Battery

BPL3640

BPL3626 1 x (2,6Ah)

Lithium-ion

Battery

BPL3615

System Battery Chemistry

<u>ளியயா</u> €Э√

801

*5*600

1 x (1,5Ah)

Lithium-ion

Battery

Nr. Code **EAN Code** 4892210819574



4892210812483

5133001875 4892210819413

18V NICAD COMPACT **BATTERIES &** CHARGER KITS









BCP18172SM

Specification Description

1 x 18V (1,7Ah) NiCad Battery

BPP1817M

BPP1817M2 2 x 18V (1,7Ah) NiCad Batteries

BCP1817M 1 x 18V (1,7Ah) NiCad Battery

& Charger

2 x 18V (1,7Ah) NiCad Batteries & Charger

System

Nr Code

EAN Code

Battery Chemistry

5133001053 4892210108890

NICAD

ONE

NICAD 5133000292 4892210100542

NICAD 5132000041 4892210104021

NICAD 5133001573 4892210108869

18V LITHIUM-ION COMPACT BATTERIES & CHARGER KITS



RB18L13

1 x 18V

(1.3Ah)

Lithium-ion











RBC18LL13

Specification

Description

Battery ONE

1 x 18V (1.5Ah)Lithium-ion Battery

ONE

RB18L15

1 x 18V (2.6Ah)Lithium-ion Battery

RB18L26

1 x 18V (4.0Ah) Lithium-ion Battery

RB18L40

1 x 18V (1.3Ah)Lithium-ion Battery & Super Charger 2 x 18V (1.3Ah)Lithium-ion Battery & Super Charger

System

Battery Chemistry

Nr. Code **EAN Code** _नापराधीराक न्तापारीतीयान्त्री 5133001904 4892210124074

5133001905 4892210124081

₫™गिरातीएक 5133001906 4892210124098

ONE

ONE नापस्तितालकः

ONE d¶4∏hlum

ONE <u>न्यप्राधिताः</u>

5133001908 4892210124159



18V LITHIUM-ION BATTERIES & CHARGER KITS



RBC18L15

RBC18L40



RBC18LL15



RBC18LL40

Description

System

Nr. Code

EAN Code

Specification

Battery Chemistry

1 x 18V (1,5Ah) Lithium-ion Battery & Super Charger

ONE

5133001910

4892210124173

<u>न्यप्राधिताल</u>्यः

1 x 18V (4,0Ah) Lithium-ion Battery & Super Charger

2 x 18V (1,5Ah) Lithium-ion Batteries & Super Charger

2 x 18V (4,0Ah) Lithium-ion Batteries & Super Charger

ONE ONE

<u>न्यपानियान</u>् <u>न्यपातिस्या</u>

dT400Hym2

ONE

5133001912 4892210124210

5133001916 4892210124234



Specification

Battery Chemistry

Nr. Code

EAN Code

Description



BCL14181H



BCS618

6 Port Battery

Maintenance System

FUEL GAUGE

5133001914

4892210124197



Super Charger for both Lithium-ion & NiCad Batteries

suitable for Lithium-Ion & NiCad Batteries

Specification



Description

Battery Fuel Gauge fits all 18V Lithium-ion & NiCad **Batteries**

System

Nr. Code

EAN Code

Battery Chemistry


5132000043 4892210106353

System

5133001127 4892210117991

5132000042 4892210106346

BATTERIES & CHARGER KITS (12V - 4V)



Specification

Description

System

Battery Chemistry

Nr. Code **EAN Code**

BSPL1213

1 x 12V (1,3Ah) **Battery**



<u>न्यपातीयान</u>्द 5133001732 4892210120687



AP4021

TEK4™ Battery Charger with 2 x 4V (1,3Ah) Batteries

RYOBITE(4)

<u>न्तप्राधीयकः</u>

5133000381 4892210110732



AP4001

1 x 4V (1,3Ah) Lithium-ion Battery

RYOBITE (4)

d¶40hlum#

5132000147 4892210110718

RANGE SUMMARY & ACCESSORIES

48V cordless product range



RLM4852L

48V Cordless Lawnmower

Power input:	48V battery
Deck size/cutting diameter:	52cm
Motor speed:	3.000rpm
Drive mechanism: S	elf-propelled
Mulching capable:	Yes
Weight:	43,1kg

Included as standard

1 x 48V Lead acid battery	
Mulching plug	
Side eject kit	

48V lawnmower accessories

Specification

Description

System


Nr. Code EAN Code

RAC408

Lawnmower 20"/ 52cm blade

5132002448 4892210813787

36V cordless product range







RBC36X26B 36V Lithium-ion 4,0Ah Bike Handle Brush Cutter

Power input: 36V battery Cutting width: Brush cutter 26cm Line cutter 30cm Line diameter: 1,6mm Blade speed: 9.000rpm String speed: 8.000rpm Charge rate: 100% 135min. Weight: Brush cutter 5,06kg String trimmer 5,18kg

Included as standard 1 x 36V (4,0Ah) Lithium-ion battery Tri-Arc +™ blade Cutting head with 1,6mm line Bike handle Double shoulder harness

RBC36X26E 36V Lithium-ion

4,0Ah Ergo H	landle Brush Cutter
Power input:	36V battery
Cutting width:	Brush cutter 26cm
	Line cutter 30cm
Line diameter:	1,6mm
Blade speed:	9.000rpm
String speed:	8.000rpm
Charge rate:	100% 135min.
Weight:	Brush cutter 4,46kg
	String trimmer 4,58kg

Included as standard

Charger

T x 36V (4,0Ah) Lithium-ion battery
Tri-Arc+™ blade
Cutting head with 1,6mm line
Bike handle
Single shoulder harness
Charger

RCS36 36V Lithium-ion

2.6Ah Chainsaw

2,6Ah Chainsaw	
Power input:	36V battery
Torque:	4,4Nm
Chain/bar length:	30cm
Chain speed:	3,7m/s
Tool-less chain tensione	r: Yes
Oil tank capacity:	110ml
Charge rate:	100% 100 min.
Weight:	4,4kg

Included as standard

1 x 36V (2,6Ah) Lithium-ion battery
Bar & chain oil
Scabbard
Charger

RBL36B

36V Lithium-ion Blower

Power input:	36V battery
Airspeed:	up to 250km/h
Switch:	Variable speed
Weight:	3,1kg

Included as standard

High speed nozzle

36V cordless product range





RLM36X40 36V Lithium-ion

T,OAH LAWIIIIOWCI	
Power input:	36V battery
Deck size/cutting diameter	
Blade speed:	3.500rpm
Drive mechanism:	Push
Mulching capable:	Yes
Charge rate: 10	00% 135 min.
Weight:	18,0kg

Included as standard

1 x 36V	(4,0Ah) Lithium-ion battery	
1 x mulching plug		
Charger		

RLM36X40H 36V Lithium-ion

4,0Ah Lawnmower

Power input:	36V battery
Deck size/cutting diameter:	: 40cm
Blade speed:	3.500rpm
Drive mechanism:	Push
Mulching capable:	Yes
Telescoping handle:	Yes
Charge rate: 10	0% 135 min.
Weight:	17,8kg

Included as standard

1	x 36V (4,0Ah) Lithium-ion battery
1	x mulching plug
C	harger

RLM36X40L 36V Lithium-ion 4,0Ah Lawnmower

with LED battery ind	licator
Power input:	36V battery
Deck size/cutting diamet	ter: 40cm
Blade speed:	3.500rpm
Drive mechanism:	Push
Mulching capable:	Yes
LED battery indicator:	Yes
Telescoping handle:	Yes
	100% 135 min.
Weight:	17.8ka

Included as standard	
1 x 36V (4,0Ah) Lithium-ion battery	
1 x mulching plug	
Charger	

RHT36 36V Lithium-ion 2.6 Ah Hedge Trimmer

Power input:	36V battery
Cutting capacity:	20mm
Blade length:	55cm
Stroke rate:	3.000spm
Charge rate:	100% 100 min.
Neight:	4,2kg

Included as standard

1 x 36V (2,6Ah) Lithiu	um-ion battery
Blade sheath	
HedgeSweep™	
Charger	

RLT36 36V Lithium-ion 2.6 Ah Line Trimmer

Power input:	36V battery
Cutting diameter:	28-33cm
Vlax speed:	9.000-10.000rpm
ine feed system:	Auto-feed
Line type:	1,5mm twisted
Charge rate:	100% 100 min.
Neiaht:	4.1ka

Included as standard

interest de etamadia	
1 x 36V (2,6Ah) Lithium-ion battery	
Auto-feed line	
Charger	

36V accessories

Specification Description	RAC114 Complete rep
System	ment spool h
Fits	RBC36X26B / RB
Nr. Code EAN Code	5132002669 48922108197
Specification Description	RAC227 Replacement

System

Nr. Code

EAN Code

Fits

AC114 implete replaceent spool head

801 C36X26B / RBC36X26E 32002669 392210819727

12"/30cm chain

201

5132002436

4892210813510

RCS36

RAC117 26cm Brush cutter replacement blade

£50V RBC36X26B / RBC36X26E 5132002668 4892210819734

RAC126 1 x spool cover, spool with 1,5mm twisted line

*£60*1/ RLT36 / RLT36C33 5132002435 4892210813527

16"/ 40cm blade

4892210813497

त्रापराश्चामक

3 x spools with 1,5mm twisted line

RAC127

£61/ RLT36 / RLT36C33 5132002449 4892210813763

RAC405

Lawnmower

12	/ 30cm	
rep	acement l	֡
ďП	411110m 837	
	EGV/	

RCS36 5132002486 4892210814333

RAC226

RAC305 RAC404 500mm HedgeSweep™ Lawnmower

Debris removal *501* RHT1850LI / RHT36

5132002437

4892210813466

<i>£6</i> 17
RLM3640LI / RLM36X40,
RLM36X40H / RLM36X40L
E400000400

replacement bag

<mark>линни</mark> €ЭV
RLM3640LI / RLM36X40, RLM36X40H / RLM36X40L
5132002446

4892210813503



RANGE SUMMARY & ACCESSORIES

18V cordless product range



R	LT1	825LI	18V	One	Plus™	Easy
-	4	TOTAL CO.	:-	T. S.	and Tables	

Edge Lithium-ion Line	Trimmer
Power input:	18V battery
No load speed:	9.300rpm
Line feed system:	Auto-feed
Cutting path width:	25cm
Cutting line diameter:	1,6mm
Charge rate 100%:	180min.
Weight:	1,65kg

Included as standard

1 x 18V Compact Lithium-ion battery Charger

RLT1830LI

18V One Plus™ Line Trimmer

Power input:	18V battery
No load speed:	8.000rpm
Line feed system:	Auto-feed
Cutting path width:	30cm
Cutting line diameter:	1,6mm
Charge rate 100%:	60min.
Weight:	3,2kg

Included as standard

1 x 18V Compact Lithium-ion battery Charger

RHT1850LI

18V One Plus™ Hedge Trimmer

18V battery
16mm
2.400spm
50cm
60min.
2,7kg

Included as standard

1 x 18V Compact Lithium-ion battery Blade sheath Charger

RHT1850XLI 18V One Plus™ Long Reach Headcutter Kit

Power input:	18V battery
Cutting capacity:	16mm
Stroke rate:	2.400spm
Blade length:	50cm
Charge rate 100%:	180min.
Weight:	3,73kg

Included as standard

1 x 18V Compact Lithium-ion battery HedgeSweep™ blade sheath Charger

RPP1820LI

Tov One Plus	Pole Saw Kit
Power input:	18V battery
Chain/bar length:	20cm
Chain speed:	5,5m/s
Charge rate 100%:	180min.
Weight:	4.1ka

Included as standard

1 x 18V Compact Lithium-ion battery Bar & chain oil Scabbard Charger

OPS1821

18V One Plus™ Pruner

Power input:	18V battery
No load speed:	3.000spm
Max. cutting capacity:	wood 102mm
Stroke length:	22mm
Weight:	2,7kg

Included as standard

Blade

OBL1802

18V One Plus™ Blower

Power input:	18V battery
Air flow speed:	120mph (193km/h)
Weight:	1,6kg

Included as standard

OGS1821 18V One Plus™

Shear & Shrubber

Power input:	18V battery
Cutting capacity:	8mm
Shrubber blade:	200mm
Shear blade:	100mm
Weight without blade:	1,4kg

Included as standard Grass cutting blade

Shrubbing blade



18V accessories							
Specification	RAC124	RAC125	RAC300	RAC305	RAC234	RAC308	ACC001
Description	1 x spool cover, spool with 1,6mm line	3 x spools with 1,6mm line	Shear Replacement Blade	50cm Hedge Sweep™	8"/20cm Replacement Chain	Shrubber Replacement Blade	Pruner Saw Blade
System	ONE #	ONE #	ONE #	ONE +	ONE	ONE #	ONE #
Fits	RLT1830LI OLT1831 RL1825LI OLT1825	RLT1830LI OLT1831 RL1825LI OLT1825	OGS1820/ OGS1821	OHT1850X/ HT1850XLI RHT1850LI/ OHT1851 RHT1850XLI/ OHT1850X	OPP1820 / PP1820LI	OGS1820/ OGS1821	OPS1821
Nr. Code EAN Code	5132002433 4892210813473	5132002434 4892210813480	5132002426 4892210813015	5132002437 4892210813466	5132002588 4892210817648	5132002457 4892210813541	5132000140 5034716003104

4V cordless product range



RGS410 TEK4™ Lithium-ion Shear Shrubber

Power input:	4V battery
Cutting capacity:	8mm
Shrubber blade:	120mm
Shear blade:	80mm
Charge rate 100%:	210-270min.
Weight with shrubber at	tachment: 0,6kg
Weight with grass shear	r
attachment:	0,5kg

Included as standard

1 x 4V Lithium-ion battery	Ī
Shear blade	
Shrubber blade	
Charger	



RLP416 TEK4™ Lithium-ion

Lopper	
Power input:	4V battery
Cut capacity:	
Soft wood	16mm
Hard wood	10mm
Charge rate 100%:	210-270min.
Weight:	0.7ka

Included as standard

1 x 4V Lithium-ion battery Charger

4V TEK4™ accessories

Specification	RAC301	RAC302	RAC303	RAC304
Description	Replacement grass shear blade	Replacement grass shrubber blade	Wheel and pole attachment	Replacement lopper blade
System	RYOBITE(4	RYOBITE(4)	RYOBITE(4)	RYOBITE(4
Fits	RGS410	RGS410	RGS410 / RLP416	RLP416
Nr. Code EAN Code	5132002452 4892210813428	5132002453 4892210813435	5132002454 4892210813442	5132002455 4892210813459

LAWN CARE

Petrol Line Trimmers / Petrol Brush Cutters	29-33
Expand-It™	34-35
Electric Line Trimmers	36-37
Petrol Lawnmowers	38-41
Range Summary & Accessories	42-45



RLT26CDS 26cc POWRLTZ Series Line Trimmer

Nr. Code: 5133000259 EAN Code: 4892210811080

Features

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power
- Split shaft for Expand-it™ attachment compatibility
- ReelEasy™ bump feed head with patented 'Thread and load' system for rapid line refills



Included as standard

2 stroke oil, ReelEasy™ cutting head with 6m cutting line, wrench, D handle























Brush Cutter

Nr. Code: 5133001882 EAN Code: 4892210819482

Features

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills









2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness











Bike Handle Brush Cutter

RBC26SBB 26cc POWRLTZ Series











Nr. Code: 5133001883 EAN Code: 4892210819499

Features

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills
- · Fully adjustable Vertebrae harness for maximum comfort





Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness 2.4mm















RBC26SESB RLT26CDS

Engine type: Po	oWR LT2™ 2 Stroke	Engine type: Po	oWR LT2™ 2 Stroke	Engine type:	PoWR LT2 [™] 2 Stroke
Engine displacement:	26cc	Engine displacement:	26cc	Engine displacement:	26cc
Output power:	0,9hp	Output power:	0,9hp	Output power:	0,9hp
Tank capacity:	0,251	Tank capacity:	0,251	Tank capacity:	0,251
Cutting path width:	43cm	Cutting path width:	26/46cm	Cutting path width:	26/46cm
Line diameter:	2,4mm	Line diameter:	2,4mm	Line diameter:	2,4mm
Weight:	4,3kg	Weight:	5,2kg	Weight:	6,1kg

RLT30CESA 30cc POWRLTZ Series Line Trimmer

Nr. Code: 5133001648 EAN Code: 4892210816450

Features

- Advanced PoWR LT2™ 30cc 2cvcle engine for optimum power
- Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it™ attachment compatibility
- ReelEasy™ bump feed head with patented 'Thread and load' system for rapid line refills





Included as standard

2 stroke oil, ReelEasy™ cutting head with 6m cutting line, wrench, ergo handle











RBC30SESB 30cc POWRLTE Series **Brush Cutter**

Nr. Code: 5133001884 EAN Code: 4892210819505

Features

- Advanced PoWR LT2™ 30cc 2cycle engine for optimum power
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy[™] bump feed head with patented 'thread and load' system for rapid line refills





Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness













Bike Handle Brush Cutter

Nr. Code: 5133001885 EAN Code: 4892210819512

Features

Advanced PoWR LT2™ 30cc 2cycle engine for optimum power

RBC30SBSB 30cc POWRLTE Series

- Bike handle for comfort and storage convenience
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy[™] bump feed head with patented 'thread and load' system for rapid line refills





Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness 2.4mm













RLT30CESA		RBC30SESI	3	RBC30SBSE	3
Engine type:	PoWR LT2 [™] 2 Stroke	Engine type:	PoWR LT2™ 2 Stroke	Engine type:	PoWR LT2 [™] 2 Stroke
Engine displacement:	30cc	Engine displacement	: 30cc	Engine displacement:	30cc
Output power:	1hp	Output power:	1hp	Output power:	1hp
Tank capacity:	0,421	Tank capacity:	0,421	Tank capacity:	0,421
Cutting path width:	43cm	Cutting path width:	46cm	Cutting path width:	46cm
Line diameter:	2,4mm	Line diameter:	2,4mm	Line diameter:	2,4mm
Weight:	5,3kg	Weight:	6,0kg	Weight:	6,7kg



RLT430CESB 30cc POWRLT4 Series 4 Cycle Line Trimmer

Nr. Code: 5133000021 EAN Code: 4892210808219

Features

- Advanced PoWR LT4™ lightweight 30cc 4cycle engine for 30% more power without the need to mix oil and fuel
- · No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- Split shaft for Expand-it™ attachment compatibility
- ReelEasy™ bump feed head with patented 'Thread and load' system for rapid line refills















Included as standard

4 stroke oil, ReelEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness

*4 cycle products only recommended for use with: ABE04: AQTT03: ABC03: ALT03; AED04; AFM03







RBC430SESC 30cc POWRLT4 Series 4 Cycle Ergo Handle Brush Cutter

Nr. Code: 5133001886 EAN Code: 4892210819529

Features

- Advanced PoWR LT4™ lightweight 30cc 4cycle engine for 30% more power without the need to mix oil and fuel
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills

















Included as standard

4 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness

RBC430SBSC 30cc POWRLT4 Series

4 Cycle Bike Handle Brush Cutter

Nr. Code: 5133001887 EAN Code: 4892210819192

Features

- Advanced PoWR LT4™ lightweight 30cc 4cycle engine for 30% more power without the need to mix oil and fuel
- Bike handle for comfort and storage convenience
- 26cm Tri-Arc+[™] hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills




















4 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness

RBC430SBSC **RLT430CESB** RBC430SESC

 Engine type:	POWR LT4 [™] 4 Stroke	Engine type: PO	WR LT4 [™] 4 Stroke	Engine type:	POWR LT4 [™] 4 Stroke
 Engine displacement:	30cc	Engine displacement:	30cc	Engine displacement:	30cc
 Output power:	1hp	Output power:	1hp	Output power:	1hp
Tank capacity:	0,351	Tank capacity:	0,351	Tank capacity:	0,351
 Cutting path width:	43cm	Cutting path width:	46cm	Cutting path width:	46cm
 Line diameter:	2,4mm	Line diameter:	2,4mm	Line diameter:	2,4mm
Weight:	5,1kg	Weight:	6,0kg	Weight:	7,4kg



RBC254FSB 25,4cc POWR XT Series **Full Crank Brush Cutter**

Nr. Code: 5133001878 EAN Code: 4892210819185













- Powr XT™ Full crank engine delivers durability and performance
- · 2-in-1 functionality with a blade for clearing and a line trimmer head for trimming
- · Fully adjustable rotating bike handle for comfort and storage convenience
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills
- 26cm Tri-Arc+ ™ hardened steel brush cutting blade

Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness











RBC254FSB

Engine type:	Full Crank-stroke	
Engine displacement:	25,4cc	
Output power:	1,2hp	
Tank capacity:	0,621	
Cutting path width / Blade cutting path:	46 / 26cm	
Line diameter:	2,4mm	
Weight:	7,4kg	

RBC42FSB 42cc POWR XT Series







Full Crank Brush Cutter

Nr. Code: 5133001876 EAN Code: 4892210819161

Features


- Powr XT[™] Full crank engine delivers durability and performance
- 2-in-1 functionality with a blade for clearing and a line trimmer head for trimming
- · Full crank engine for extended engine life and reduced vibration
- · Fully adjustable rotating bike handle for comfort and storage convenience
- ReelEasy[™] bump feed head with patented 'thread and load' system for rapid line refills
- 26cm Tri-Arc+™ hardened steel brush cutting blade











2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle. Vertebrae harness











RBC52FSB 52cc POWR XT Series



Nr. Code: 5133001877 EAN Code: 4892210819178

Features

- Powr XT[™] Full crank engine delivers durability and performance
- · 2-in-1 functionality with a blade for clearing and a line trimmer head for trimming
- Powerful 52cc engine with 1.9hp output
- Full crank engine for extended engine life and reduced vibration
- Fully adjustable rotating bike handle for comfort and storage convenience
- ReelEasy[™] bump feed head with patented 'thread and load' system for rapid line refills
- 26cm Tri-Arc+™ hardened steel brush cutting blade



















7.9ka

Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness

RBC42FSB

Weight:

Engine type:	Full Crank-stroke
Engine displacement:	42cc
Output power:	1,7hp
Tank capacity:	1,11
Cutting path width / Blade cutting path:	42 / 26cm
Line diameter:	2,4mm

RBC52FSB

Weight:

7.9ka

Engine type:	Full Crank-stroke
Engine displacement:	52cc
Output power:	1,9hp
Tank capacity:	1,11
Cutting path width / Blade cutting path:	42 / 26cm
Line diameter:	2,4mm





Turn 1 power unit into 7 tools



Features

Quick Release – Simply use the quick release mechanism on the shaft to remove the trimmer or cutter head and connect the Expand-it™ attachment – within a few seconds you have a new garden power tool.









RPH26F

Art.-No.: 5133001715 EAN Code: 4892210817419



AHF05

Articulating Hedge Trimmer

Features

- . Blade length: 44cm
- . Cutting capacity: 28mm Blade type: dual reciprocating
- . 90° articulating blade for
- comfortable cutting in any angle 2,0kg

Art.-No.: 5133001927 EAN Code: 4892210819369



AHF03

Hedge Trimmer

Features

- . Blade length: 45cm . Cutting capacity: 11mm
- . Blade type: dual reciprocating
- 2,1kg

Art.-No.: 5132000036 EAN Code: 4892210801005



APR04

Pole Pruner

Features

- · Chain speed: 30m/s 15° angled blade for more
- comfortable and safer cutting
- · Automatic chain oiler and clear oil tank
- Metal spike bumpers for easier and safer cutting
- 2,5kg

Art.-No.: 5133001733 EAN Code: 4892210817518



AEX002

Extension Shaft

Features

- Length: 62cm
- Ideal for extending pole pruner or hedge trimmer attachments
- 0,7kg

Art.-No.: 5132000035 EAN Code: 4892210803405



ABE04 **Blower**

Features

- · Air speed: 240km/h
- · Air volume: 8m3/min
- Leaf Guard™ technology for higher efficiency
- 1,4kg

Art.-No.: 5133001735 EAN Code: 4892210817532



AQTT03 Cultivator

Features

. Tine diameter: 20cm

. Number of tines: 4

Art.-No.: 5132000039

EAN Code: 4892210800978

• 6,2kg



ABC03 **Brush Cutter**

Features

- Blade diameter: 20cm
- Tri-Arc™ cutting blade
- 2,1kg





ALT03

Line Trimmer

Features

- Line diameter: 2,4mm
- · Cutting swath: 46cm Number of cutting lines: 2
- · Straight shaft line trimmer
- attachment
- **1**,7kg

Art.-No.: 5133000446 EAN Code: 4892210800985

RLT3025S 300W Line Trimmer

Nr. Code: 5133001251 EAN Code: 4892210815453

Features

- Efficient 300W motor for optimum power to weight ratio
- · 25cm cutting path for efficient cutting rate
- 2 handle design and rotating upper shaft for edging

EASY SEDG









RLT4027 400W Line Trimmer

Nr. Code: 5133001804 EAN Code: 4892210818409

Features

- · Light weight and adjustable, ideal for sustained periods of use
- 27cm cutting path for efficient cutting rate
- Adjustable handle for d support and balance
- Extendable shaft for optimum height adjustment
- Adjustable head for both edging and trimming
- · Cable management hook and wall mount storage solutions
- Overmould handle for improved comfort during use



VERTEBRAE





400

IMPROVED







RLT5030S 500W EasyEdge™ Line Trimmer

Nr. Code: 5133001213 EAN Code: 4892210815781

Features

- Patented EasyEdge[™] technology featuring a spring assisted pedal for smooth transition from grass trimming to edging mode
- Automatic feed spool head
- · Powerful 500W high performance motor
- Telescoping shaft and fully adjustable front handle for optimum user comfort















RLT3025S RLT4027 RLT5030S Power: 300W Power: 400W Power: 500W Cutting path width: 25cm 30cm Cutting path width: 27cm Cutting path width: Line cutting system: Bump head Line cutting system: Auto-feed Line cutting system: Auto-feed 2 x 1,2mm 2 x 1,5mm twisted Line type: Line type: 2 x 1,5mm twisted Line type: Weight: 1,65kg Weight: Weight: 3,1kg





RLT7038 700W Rear Mount Line Trimmer

Nr. Code: 5133001243 EAN Code: 4892210815491

Features

- · Rear mount motor for full control at high motor power
- · Wide cutting path
- · Split shaft for easy transport and storage
- · Fully adjustable front handle



PAND-IT AHF05, APR04, ABE04

Included as standard

Shoulder strap





Nr. Code: 5133001241 EAN Code: 4892210815217

Features

- Rear mount motor for full control with 1000W motor power
- · Wide cutting path
- · Split shaft for easy transport and storage
- · Fully adjustable front handle



AHF05, APR04, ABE04

Included as standard



Shoulder strap, dual line bump head

•	LT7				
-		топ			

Power:	700W
Cutting path width:	38cm
Line cutting system:	Bump head
Line type:	2 x 1,5mm twisted
Weight:	4,8kg

RLT1038

Power:	1000W
Cutting path width:	38cm
Line cutting system:	Bump head
Line type:	2 x 1,5mm twisted
Weight:	4,8kg



RLM4614SME 140cc 46cm Self-propelled

Mulching Lawnmower

Nr. Code: 5133001895 EAN Code: 4892210819604

Features

- Powerful 140cc engine
- · 46cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- · Large hard top grass bag for clipping collection
- Integrated drinks holder



Included as standard

55 litre hard top grass bag, mulching plug, side eject kit









RLM4617SME Subaru® 175cc 46cm Self-propelled



Nr. Code: 5133001896 EAN Code: 4892210819611

Features

- Powerful 175cc Subaru® engine
- · 46cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- Large hard top grass bag for clipping collection
- Integrated drinks holder



Included as standard

RLM4614SME

55 litre hard top grass bag, mulching plug, side eject kit

RLM4617SME

Engine:	140cc	Engine:	175cc Subaru®
Deck size/cutting of	iameter: 46cm	Deck size/cutting d	iameter: 46cm
Engine speed:	2.800rpm	Engine speed:	2.800rpm
Drive mechanism:	Self propelled	Drive mechanism:	Self propelled
4-in-1:	Grass bagging, mulching, rear eject & side eject	4-in-1:	Grass bagging, mulching, rear eject & side eject
Mulching plug sup	olied: Yes	Mulching plug supp	olied: Yes
Weight:	32,0kg	Weight:	32,5kg

RLM5317SME Subaru® 175cc 53cm Self-propelled





Mulching Lawnmower

Nr. Code: 5133001897 EAN Code: 4892210819628

Features

- Powerful 175cc Subaru® engine
- . 53cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- · Large grass bag for clipping collection
- Integrated drinks holder
- · Large rear wheel for smooth drive and grip



Included as standard

70 litre grass bag, mulching plug, side eject kit









RLM5319SMEB Subaru® 190cc 53cm Self-propelled



Nr. Code: 5133001922 EAN Code: 4892210819659

Features

- Powerful 190cc Subaru® engine
- . 53cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- Large hard top grass bag for clipping collection
- Integrated drinks holder
- · Large rear wheel for smooth drive and grip
- Variable engine speed lever on control panel



Included as standard

70 litre hard top grass bag, mulching plug, side eject kit









RLM5317SME

Engine:		175cc Subaru®
Deck size/cutting o	liameter:	53cm
Engine speed:		2.800rpm
Drive mechanism:		Self propelled
4-in-1:	Grass bagging, mulching, rea	ır eject & side eject
Mulching plug sup	plied:	Yes
Weight:		38.5kg

RLW53198	MER	
Engine:		190cc Subaru®
Deck size/cutting d	liameter:	53cm
Engine speed:		2.800rpm
Drive mechanism:		Self propelled
4-in-1:	Grass bagging, mulching, rea	ır eject & side eject
Mulching plug supp	olied:	Yes
Weight:		42,0kg

RLM1451ME 140cc Mulching Lawnmower 🚷

Nr. Code: 5133001702 EAN Code: 4892210817273

Features

- 140cc OHV powerful engine
- 51cm deck for large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- · Side eject feature allows mower to cut long, rough grass
- Individual wheel height settings 6 lengths of grass cutting



Included as standard

Side eiect kit



Nr. Code: 5133001921 FAN Code: 4892210819598



- Powerful 190cc Subaru[®] engine
- . 56cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Integrated drinks holder
- · Large rear wheel for smooth drive and grip
- Individual wheel height settings 5 lengths of grass cutting



Included as standard

Mulching plug, side eject kit

190
CC



RLM1451ME		RLM1956MEB
Engine:	140cc OHV	Engine:

Engine:	140cc OHV	Engine:	190cc Subaru®
Deck size/cutting diameter:	51cm	Deck size/cutting diameter:	56cm
Engine speed:	2.800rpm	Engine speed:	2.800rpm
Drive mechanism:	Push	Drive mechanism:	Push
2-in-1:	Mulching & side eject	2-in-1:	Mulching & side eject
Weight:	29,0kg	Mulching plug supplied:	Yes
		Weight:	30,0kg



RANGE SUMMARY & ACCESSORIES

PETROL LINE TRIMMERS **& BRUSH CUTTERS**



2 stroke

26cc



RBC26SESB

2 stroke

26cc

NEW



RBC26SBB

2 stroke

26cc

NEV



RIT30CESA

Specification
Engine type
Engine displacement
Output power
Tank capacity
Cutting path width (string head)
Cutting path width (blade)
Line diameter
Handle type
Weight
Accessories

RAC104

RAC105

RAC108

RAC117

RAC106

RAC115

ACC002

ACC004

RGA004

LTA036/LTA040/ LTA050


	D h 4,3
15m x 2,4mm cutting line	~
50m x 2,4mm cutting line	~
Tri-Arc™ replacement blade for brush cutters, 20cm	
Tri-Arc+™ replacement blade for brush cutter, 26cm	_
Line trimmer replacement head	
Pro-Cut II™ replacement cutting line (x20)	~
ReelEasy™ replacement head	~
with line	
2 stroke oil 76ml	~
2 stroke oil 11	~
4 stroke multigrade engine oil	

2000	2000
0,9hp	0,9hp
0,251	0,25
43cm	46cm
_	26mm
2,4mm	2,4mm
D handle	Ergo D handle
4,3kg	5,2kg
<u> </u>	<u></u>
•	•
	<u></u>
•	•
	<u></u>
	•
	7
	•
	7
•	•
<u>, </u>	
•	•
	7
<u>v</u>	<u> </u>

0,9hp
0,251
46cm
26mm
2,4mm
Bike handle
6,1kg
•
•
•
V
V
<u> </u>
<u></u>
<u> </u>

-	TILIOUOLOA
-	2 stroke
	30cc 1hp 0,42l 43cm - 2,4mm Ergo D handle 5,3kg
_	
_	





RANGE SUMMARY & ACCESSORIES

ELECTRIC LINE TRIMMERS & BRUSH CUTTERS



Specification	RLT3025S	RLT4027	RLT5030S	RLT7038	RLT1038	RBC1020
Power Cutting diameter	300W 25cm	400W 27cm	500W 30cm	700W 38cm	1000W 38cm	1000W 20cm
Line cutting system Line type	Bump head 2 x 1,2mm	Bump head 2 x 1,5mm twisted	Auto-feed 2 x 1,5mm twisted	Bump head 2 x 1,5mm twisted	Bump head 2 x 1,5mm twisted	Tri-Arc™ blade 2 x 1,5mm twisted
Telescoping shaft Edging facility	No Yes	Yes Yes	Yes Yes, EasyEdge+™	No No	No No	No No
Plant protector GripZone™ Weight	No No 1,65kg	Yes Yes 2,7kg	Yes Yes 3,1kg	No Yes 4,8kg	No Yes 4,8kg	No Yes 4,8kg
Accessories						
RAC100 15m x 1,2mm cutting line RAC122 Spool, cover, spring replacement for RLT4027	<u>v</u>					
RAC123 3 spools for RLT4027 RAC129 2 replacement spools for RLT5030S RAC118 Spool, cover, spring replacement		<u> </u>	<u></u>			
RAC119 3 x spools RAC120 Spool, cover, spring replacement RAC108 Tri-Arc™ replacement blade	<i>V</i>			<u> </u>	v	<u> </u>

EXPAND-IT™ ATTACHMENTS



Access	sories
CSA038	Replacement chain for Expand-it™ pole pruner
CSA039	Replacement bar for Expand-it [™] pole pruner
ACC005	Bar & chain oil 11
LTA012	Replacement 15m line for ALT03
RAC108	Replacement Tri-Arc™ blade for ABC03

		-
	ALT03	ABC03
-		
_		
-	<u>, </u>	
		<u> </u>



PETROL LAWNMOWER ACCESSORIES







Specification
Engine
Deck size/cutting diameter
Power at working speed
Self-propelled
Height adjustment
Grass bag size
Weight

KLIVI4614SIVIE	RLIVI4617SIVIE
140cc	175cc
46cm	46cm
2.800rpm	2.800rpm
Yes	Yes
19-76mm	19-76mm
551	551
32,0kg	32,5kg

RLM5317SME
175cc
53cm
2.800rpm Yes
19–76mm
701
38,5kg

Accessories
RAC400 46cm replacement mower blade
RAC402 Replacement mower bag (bag only, no metal frame)
RAC403 Mulching plug
RAC407 52cm replacement mower blade
BAC409_53cm replacement mower blade

	_
<u> </u>	_
V	
/	

V

PETROL LAWNMOWER ACCESSORIES



Specification
Engine
Deck size/cutting diameter
Power at working speed
Self-propelled
Height adjustment
Grass bag size
Weight

RLM5319SMEB	RL
190cc 53cm	140
2.800rpm Yes	2.8 No
19-76mm	20-
70l 42,0kg	29,

RLM1451ME	RLM1956MEB
140cc OHV	190cc
51cm	56cm
2.800rpm	2.800rpm
No	No
20-78mm	19-76mm
N/A	N/A
29,0kg	30,0kg

Accessories			
	53cm replacement mower blade		
RAC410	51cm replacement mower blade		
RAC411	56cm replacement mower blade		
	·		

 <u> </u>	
	V

TREE AND HEDGE CARE

Petrol Chainsaws	47-48
Electric Chainsaws	49
Electric Pole Pruner	50
Petrol Hedge Trimmer	50
Electric Hedge Trimmers	51-53
Range Summary & Accessories	54-55



RCS4235B 42cc POWR XT Series Chainsaw (35cm bar)





Nr. Code: 5133001880 EAN Code: 4892210819239

Features

- Powr XT™ Full crank engine delivers durability and performance
- Powerful 2 stroke 42cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- · Tool-less chain tensioning system
- Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels



Included as standard

Bar & chain oil. 2 stroke oil. wrench











RCS4240B 42cc POWR XT Series Chainsaw (40cm bar)





Nr. Code: 5133001881 EAN Code: 4892210819246

Features

- Powr XT[™] Full crank engine delivers durability and performance
- · Powerful 2 stroke 42cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- Tool-less chain tensioning system
- Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels



Included as standard

Bar & chain oil. 2 stroke oil, wrench











RC54235B		RC54240B	
Engine displacement:	42cc	Engine displacement:	42cc
Power:	2,1hp (1,6kW)	Power:	2,1hp (1,6kW)
Chain/bar length:	35cm	Chain/bar length:	40cm
Chain speed:	23,8m/s	Chain speed:	23,8m/s
Tool-less chain tensioner:	Yes	Tool-less chain tensioner:	Yes
Fuel tank capacity:	0,31	Fuel tank capacity:	0,31
Weight:	5,3kg	Weight:	5,4kg

RCS5133CB 51cc POWR XT Series Chainsaw (33cm bar)

Nr. Code: 5133001860 EAN Code: 4892210819208

Features

- Powr XT™ Full crank engine delivers durability and performance
- Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Convenient and robust side access chain tensioner
- Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels
- · Tool less air filter access

Included as standard

Bar & chain oil. 2 stroke oil, wrench, carry case











RCS5140B 51cc POWRIXT Series Chainsaw (40cm bar)

Nr. Code: 5133001859 EAN Code: 4892210819222

Features

- Powr XT[™] Full crank engine delivers durability and performance
- Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Convenient and robust side access chain tensioner
- Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Tool less air filter access

Included as standard

Bar & chain oil. 2 stroke oil. wrench











RCS5145B 51cc POWR XT Series Chainsaw (45cm bar)



Features

- Powr XT[™] Full crank engine delivers durability and performance
- Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during
- Fast acting inertia activated chain brake for increased safety
- Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- · Tool less air filter access
- Convenient and robust side access chain tensioner

Included as standard

Bar & chain oil. 2 stroke oil. wrench











RCS5133CB		RCS5140B		RCS5145B	
Engine displacement:	51cc	Engine displacement:	51cc	Engine displacement:	51cc
Power:	2,7hp (2kW)	Power:	2,7hp (2kW)	Power:	2,7hp (2kW)
Chain/bar length:	33cm	Chain/bar length:	40cm	Chain/bar length:	45cm
Chain speed:	22,2m/s	Chain speed:	22,2m/s	Chain speed:	22,2m/s
Tool-less chain tensioner:	No	Tool-less chain tensioner:	No	Tool-less chain tensioner:	No
Fuel tank capacity:	0,581	Fuel tank capacity:	0,581	Fuel tank capacity:	0,581
Weight:	5,4kg	Weight:	5,4kg	Weight:	5,4kg



RCS1835 1800W Electric Chainsaw



Nr. Code: 5133001215 EAN Code:4892210815804

Features

- Tool-less chain tensioning system
- · Fast acting chain brake for added safety
- · Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone™ rear handle for user comfort



Included as standard

Bar & chain oil







RCS2040 2000W Electric Chainsaw



Nr. Code: 5133001218 EAN Code: 4892210815835

Features

- Powerful 2000W motor
- Tool-less chain tensioning system
- · Fast acting chain brake for added safety
- · Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone™ rear handle for user comfort



Included as standard

Bar & chain oil







RC51835		RCS2040	
Power:	1800W	Power:	2000W
Chain/bar length:	35cm	Chain/bar length:	40cm
Chain speed:	13m/s	Chain speed:	13m/s
Tool-less chain tensioner:	Yes	Tool-less chain tensioner:	Yes
Oil tank capacity:	0,21	Oil tank capacity:	0,21
Weight:	5,1kg	Weight:	5,2kg

Nr. Code: 5133001221 EAN Code: 4892210815866

Features

- Light weight 720W motor for ergonomic pole operation
- . 15° angled cutting head for safer and easier cutting
- Telescopic fiber glass pole for long reach
- · Automatic chain and bar lubrication
- Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone[™] handle for user comfort





Bar & chain oil, wrench, shoulder harness









Nr. Code: 5133001838 EAN Code: 4892210818867

Features

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power to weight ratio
- 5 position rotating rear handle for optimum user comfort
- Dual reciprocating precision blade for less vibration
- · Effortless starting every time



















Included as standard

2 stroke oil, wrench

RPP7

720	RHT2660

Power:	720W	Engine displacement:	26cc
Chain/bar length:	20cm	Power:	0,8hp
Chain speed:	15m/s	Blade length:	60cm
Oil tank capacity:	51ml	Cutting capacity:	28mm
Weight:	3,5kg	Blade type:	Dual-action
		Weight:	5,3kg











RHT4245 420W Electric Hedge Trimmer

Nr. Code: 5133001809 EAN Code: 4892210818454





Features

- · Light-weight and comfortable to use
- · Dual action blade for improved cutting performance
- Diamond ground blade for improved durability
- Loop front trigger handle for enhanced comfort















Features

- · Light-weight and comfortable to use
- Dual action blade for improved cutting performance
- · Diamond ground blade for improved durability
- Loop front trigger handle for enhanced comfort
- GripZone[™] overmould for user comfort













RHT4245		RHT5050	
Power:	420W	Power:	500W
Blade length:	45cm	Blade length:	50cm
Cutting capacity:	18mm	Cutting capacity:	20mm
Blade type:	Dual-action	Blade type:	Dual-action
T-blade protector:	No	T-blade protector:	No
Blade speed:	1.500min ⁻¹	Blade speed:	1.500min ⁻¹
Weight:	2,7kg	Weight:	2,8kg



RHT5555R 550W Electric Hedge Trimmer







Features

- Dual reciprocating diamond ground blade for great finish while cutting and less vibration
- · T-blade protector to guard blade
- HedgeSweep[™] capable blade
- · Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear and front handle for added user comfort

Included as standard

No standard equipment











RHT6260RL 620W Electric Hedge Trimmer

with HedgeSweep™

Nr. Code: 5133001847. FAN Code: 4892210819123.

Features

- Laser cut high precision blade for cleanest cut
- HedgeSweep[™] debris sweeper for easy removal of clippings
- Powerful 620W motor
- . T-blade protector to guard blade
- Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different angles
- Livetool Indicator[™] glows blue when plugged into power supply

Included as standard

HedgeSweep™















китээээк		KH 1626UKL	
Power:	550W	Power:	620W
Blade length:	55cm	Blade length:	60cm
Cutting capacity:	24mm	Cutting capacity:	27mm
Blade type:	Dual-action		Dual-action
T-blade protector:	Yes	T-blade protector:	Yes
Blade speed:	1.500min ⁻¹	Blade speed:	1.500min ⁻¹
Weight:	3,5kg	Weight:	3,8kg

RHT7065RL 700W Electric Hedge Trimmer

with HedgeSweep™

Nr. Code: 5133001849 EAN Code: 4892210819147

Features

- · Laser cut diamond ground blades are precision cut and ultra sharp for cleaner cutting results
- Powerful 700W motor
- Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges at different angles
- Dual reciprocating blade for less vibration
- HedgeSweep[™] debris sweeper for easy removal of clippings

Included as standard

No standard equipment













RPT4045 400W Pole Hedge Trimmer

Nr. Code: 5133001253 EAN Code: 4892210815651

Features

- Light weight 400W motor
- 135° articulating trimming head
- Telescopic fiber glass pole for long reach
- Laser cut high precision blade for a cleaner cut
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] handle for user comfort











Included as standard

No standard equipment

RHT450X 450W Extended Reach Hedge Trimmer

Nr. Code: 5133001239 EAN Code 4892210815194

Features

- 3 position pivoting head allows trimming at multiple angles
- 45cm dual action diamond ground hardened steel blades
- HedgeSweep[™] compatible





Included as standard

No standard equipment











RHT7065RL		RPT4045		RHT450X	
 Power:	700W	Power:	400W	Power:	450W
 Blade length:	65cm	Blade length:	45cm	Blade length:	45cm
 Cutting capacity:	32mm	Cutting capacity:	18mm	Cutting capacity:	18mm
 Blade type:	Dual-action	Blade type:	Dual-action	Blade type:	Dual-action
 T-blade protector:	Yes	T-blade protector:	No	T-blade protector:	No
 Blade speed:	1.500min ⁻¹	Blade speed:	1.700min ⁻¹	Blade speed:	1.700min ⁻¹
 Weight:	4,3kg	Weight:	4,1kg	Weight:	2,72kg

RANGE SUMMARY & ACCESSORIES

CHAINSAWS & POLE PRUNER

Specification















POWR XT

POWR XT

POWR XT







RCS5133CB RCS5140B






RCS5145B

Оресписаноп	110042000	110042400	1100010000	110001700	1100011100
Engine displacement	42cc	42cc	51cc	51cc	51cc
Power	2,1hp (1,6kW)	2,1hp (1,6kW)	2,7hp (2kW)	2,7hp (2kW)	2,7hp (2kW)
Chain/Bar length	35cm	40cm	33cm	40cm	45cm
Chain speed	23,8m/s	23,8m/s	22,2m/s	22,2m/s	22,2m/s
Case	No	No	Yes	No	No
Tool-less chain tensioner	Yes	Yes	No	No	No No
		0,31			0,581
Fuel tank capacity	0,31	0,31	0,58l 0.35l	0,58l 0.35l	0.351
Oil tank capacity					
Weight	5,3kg	5,4kg	5,4kg	5,4kg	5,4kg
Chain Accessories				_	_
RAC220 20cm low profile skip tooth			-		-
narrow kerf pruner chain		-			
RAC221 35cm 3/8 inch low profile	~				
full complement chain					
RAC222 40cm 3/8 inch low profile		~			
full complement chain		_			
RAC223 35cm high performance					
chain for electric chainsaws			_	_	
RAC224 40cm high performance					
chain for electric chainsaws					
RAC228 40cm chain					_
RAC230 45cm chain		-			
RAC232 50cm chain for RCS5150C		-			
RAC237 33cm chain	_	_	<u> </u>	_	_
Bar Accessories				_	
RAC210 35cm petrol chainsaw bar					
RAC211 20cm pruner chainsaw bar	<u> </u>	-	-		
RAC212 40cm petrol chainsaw bar	<u> </u>		-		
RAC213 35cm electric chainsaw bar	<u> </u>	- '		- '	
RAC214 40cm electric chainsaw bar					
RAC231 45cm bar					-
RAC233 50cm bar for RCS5150C					
RAC236 33cm bar		-			
Oils					
	_	-	-	_	-
ACC002 2 stroke oil 76ml		<u> </u>	<u></u>	<u> </u>	
ACC003 Chain & bar oil 76ml		<u> </u>			
ACC004 Chain & bar oil 1			<u></u>		- -
ACC005 2 stroke oil 11	-				- -
ACCOUNT TO SHOW OF THE		- -	- -	- -	_ -





GARDEN TIDY UP

Petrol Blowers and Vacs	57-58
Electric Blowers and Vacs / Shredders / Cultivator / Log Splitters / Invertor Generator	59-61
Range Summary & Accessories	62-63



RBV26 26cc POWRLTZ Series Blower Vac

Nr. Code: 5133000175 EAN Code: 4892210810663

Features

Advanced PoWR LT2™ 26cc 2cvcle engine for optimum power

· Light and compact 26cc 2 stroke blower with vacuum capabilities

High performance blower and mulching vacuum with adjustable speed

· Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue

StartEasy[™] carburettor for easy starting





Included as standard

2 stroke oil, collection bag, wrench, vacuum tubes, blower tubes

















Features

- Advanced PoWR LT2[™] 26cc 2cycle engine for optimum power
- · High air speed up to 290km/h
- Lightweight frame with back support for comfort during usage
- · High speed nozzle providing high thrust
- Ergonomic backpack frame with breathable back padding for improved user comfort





Included as standard

2 stroke oil, blower tubes









,	16 720		NBL20BP	
Е	ngine displacement:	26cc	Engine displacement:	26cc
Α	irspeed:	up to 320km/h	Airspeed:	up to 290km/h
Α	sir volume:	up to 12m³/min	Air volume:	11m³/min
Ν	Nulching ratio:	12:1	Mulching ratio:	N/A
C	Collection bag capacity:	401	Collection bag capacity:	N/A
P	ower:	0,9hp	Power:	0,9hp
٧	Veight:	4,5kg	Weight:	5,5kg



RBL42BP 42cc POWR XT Series Backpack Blower





Nr. Code: 5133001879 EAN Code: 4892210818874

Features

- Powr XT™ Full crank engine delivers durability and performance
- Powerful 42cc 2stroke engine
- High air flow up to 14,1cm³/min
- · High speed nozzle providing high thrust
- Ergonomic Vertebrae[™] backpack frame with breathable back padding for improved user comfort
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue



2 stroke oil











RBL30MVB 30cc POWRLTZ Petrol Blower Vac

with PowerMulching™

Nr. Code: 5133001112 EAN Code: 4892210814708

Features

- Advanced PoWR LT2™ 30cc 2cycle engine for optimum power
- Quick change lever to switch between blow and vacuum mode without changing tubes
- · Powerful 30cc 2 stroke engine
- · High mulching efficiency with the metal mulching blade
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue



Shoulder strap for added comfort and control

Included as standard

2 stroke oil, collection bag, wrench, quick release shoulder harness













NDL42DP		RELOUMVE	
Engine displacement:	42cc	Engine displacement:	30cc
Airspeed:		Airspeed:	up to 250km/h
Air volume:	14,1m³/min		up to 13m³/min
Mulching ratio:	N/A	Mulching ratio:	12:1
Collection bag capacity:	N/A	Collection bag capacity:	401
Power:	2,2hp	Power:	1hp
Weight:	8,2kg	Weight:	7,5kg



RBV2800S 2800W Electric Blower Vac with PowerMulching™

Nr. Code: 5133000179 EAN Code: 4892210809391

Features

- High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching™ blades allowing high impact resistance and high mulching ratio
- Quick change lever to switch between blow and vacuum mode
- Telescoping tubes with double safety switching for easy storage and transport
- Shoulder strap for added comfort and control
- Livetool Indicator™ glows blue when plugged into power supply



Included as standard

Collection bag, shoulder strap











RBV3000VP 3000W Variable Speed Electric Blower Vac

with PowerMulching™

Nr. Code: 5133000180 EAN Code: 4892210809414

Features

- Variable speed selection for added user control
- High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching™ blades allowing high impact resistance and high mulching ratio
- Quick change lever to switch between blow and vacuum mode
- Telescoping tubes with double safety switching for easy storage and transport



Included as standard

Collection bag, shoulder strap













RSH2455 2400W Electric 'Quiet' Shredder/Mulcher

Nr. Code: 5133001235 EAN Code: 4892210816092

Features

- Crushing and cutting action is ideal for composting
- Auto reverse unblocking system
- Automatic self feeding operation
- · Large top hopper for easy feeding of branches and leaves
- Very quiet operation
- Robust metal frame and large wheels for easy handling
- Overload protection for added user safety
- Livetool Indicator[™] glows blue when plugged into power supply

Included as standard

Collection bag, plunger







RBV2800S		RBV3000VP		RSH2455	
Power:	2800W max.	Power:	3000W max.	Power:	2400W
Airspeed:	up to 320km/h	Airspeed:	up to 320km/h	Cutting system:	Cutting/crushing gear
Air volume:	14m³/min	Air volume:	up to 14m³/min	Max. cutting diameter	: 40mm
Mulching ratio:	15:1	Mulching ratio:	15:1	Cable length:	12m
Collection bag capacity	r: 45I	Collection bag capacity:	451	Weight:	25,0kg
Variable speed:	No	Variable speed:	Yes		
Weight:	5,5kg	Weight:	5,5kg		





RSH2400R 2400W Electric Shredder/Mulcher



Nr. Code: 5133001234 EAN Code: 4892210816085

Features

- Powerful impact shredder with two reversible blades
- · Shreds branches of up to 40mm
- · Reinforced frame for improved strength and stability
- Large top hopper for easy feeding of branches and leaves
- · Overload protection for added user safety
- Livetool Indicator™ glows blue when plugged into power supply





Included as standard

Collection bag, plunger

RCP1000 1020W Electric Cultivator



Nr. Code: 5133000181 EAN Code: 4892210810281

Features

- · Powerful brush motor with 4 tines
- Adjustable cutting width
- · Foldable handles for easy transportation and storage



RSH2400R		RCP1000	
Power:	2400W	Power:	1020W
Cutting system:	Impact blades	Cutting width:	18-30cm
Max. cutting diameter:	40mm	Cutting depth:	20,5cm
Cable length:	10m	Tine diameter:	23cm
Weight:	13,5kg	Cutting speed:	350rpm
		Weight:	16.0ka



RLS4A 1500W Electric Log Splitter

Nr. Code: 5133001698 EAN Code: 4892210815958



Features

- Powerful 4 tons split force
- · Strong tubular frame to hold logs safely in place while operating
- Large wheels and rubber grip handles for easy manoeuvring



RLS5A 2200W Electric Log Splitter



Nr. Code: 5133001700 EAN Code: 4892210815934

Features

- Powerful 5 tons split force
- Strong tubular frame to hold logs safely in place while operating
- Large wheels and rubber grip handles for easy manoeuvring
- · Attachable legs supplied to raise log splitter to convenient waist height



RIG2000 2000W Invertor Generator



Features

- · Powerful 4 cycle engine with no need to mix fuel and oil
- Quiet operation, 50% less noise than standard generators
- · Clean power, safe for sensitive electronics
- Auto idle feature, enables longer run time and saves fuel when less power is required





106



RLS4A		RLS5A		RIG2000	
Power:	1500W	Power:	2200W	Engine displacement:	106cc
Split force:	4 tons	Split force:	5 tons	Engine type:	OHC 4 stroke
Maximum log length:	52cm	Maximum log length:	52cm	Compression ratio:	8,5:1
Cable length:	12m	Cable length:	12m	Output: 2000V	V (1600W running)
Weight:	45,0kg	Weight:	48,0kg	Fuel tank capacity:	3,61
				Weight:	23,0kg

RANGE SUMMARY & ACCESSORIES

BLOWERS & VACS







Specification
Engine displacement
Airspeed
Air volume
Mulching ratio
Collection bag capacity
Power
Weight
Accessories

RAC353 Replacement collection bag RAC350 Replacement collection bag RAC358 Replacement collection bag

RBV26
26cc
up to 320km/h
up to 12m³/min
12:1
401
0,9hp
4,5kg

RBL26BP	 RBL42BP
26cc	 42cc
up to 290km/h	 up to 300km/h
up to 11m³/min	14,1m³/min
N/A	N/A
N/A	 N/A
0,9hp	2,2hp
5,5kg	8,2kg

BLOWERS & VACS

Accessories



RBL30MVB 30cc





Specification
Engine displacement
Airspeed
Air volume
Mulching ratio
Collection bag capacity
Power
Weight

RAC353 Replacement collection bag RAC350 Replacement collection bag RAC358 Replacement collection bag

0000	
up to 25	
up to 13	m³/min
12:1	
401	
1hp 7,5kg	
7,5kg	
<u></u>	

RBV2800S	RBV3000VP
v	<u></u>



SHREDDERS & LOG SPLITTERS









Specification	RSH2455	RSH2400R	RLS4A	RLS5A
Power Cutting system Max. cutting diameter Cable length Weight Split force Maximum log length	2400W Cutting/crushing gear 40mm 12m 25,0kg	2400W Impact blades 40mm 10m 13,5kg	1500W	2200W
Accessories				
ACC030 Replacement cutting knives RAC352 Replacement collection bag	<u></u>	<u>v</u>		

ELECTRIC CULTIVATOR



	RCP1000
_	1020W 18-30cm

INVERTOR GENERATOR



Specification	RCP1000
Power	1020W
Cutting width	18-30cm
Cutting depth	20,5cm
Tine diameter	23cm
Cutting speed	350rpm
Weight	16,0kg

Specification
Engine displacement
Engine type
Compression ratio
Rated running watts
Fuel tank capacity
Weight

RIG2000
106cc OHC 4 stroke
8,5:1 1600W
3,6l 23,0kg
23,UKY

PRESSURE WASHERS

Pressure Washers 65
Pressure Washer Accessories 66-67



RPW2400 172bar Petrol Pressure Washer



Nr. Code: 5133001729 EAN Code: 4892210816757

Features

- Robust metal frame with wheels for easy transportation
- Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it[™] range of pressure washer accessories















RPW140H 140bar Electric Pressure Washer

Nr. Code: 5133001690. FAN Code: 4892210815538

Features

- Siphon feature for drawing water from ponds, lakes, holding tanks etc.
- Cord and hose wrap for tidy storage
- Quick Connect lance and storage
- In-built detergent tank for cleaning applications



Included as standard

0°. 25°. soap/rinse and turbo nozzles











RPW150H 150bar Electric Pressure Washer

Nr. Code: 5133001692 EAN Code: 4892210815514

Features

- Siphon feature for drawing water from ponds, lakes, holding tanks etc.
- · Cord and hose wrap for tidy storage
- Quick Connect lance and storage
- . In-built detergent tank for cleaning applications



Included as standard

0°, 25°, soap/rinse and turbo nozzles









150 bar	378 I/h	SOAP	Quick

RPW2400		RPW140H		
Working pressure:	172bar	Working pressure:	140bar	
Flow rate:	520l/h	Flow rate:	378l/h	
Engine:	163cc OHV	Motor power:	1700W	
Hose length:	8m	Hose length:	7,5m	
Lance nozzle connection:	Quick Connect	Lance nozzle connection:	Quick Connect	
Detergent tank:	In Line	Detergent tank:	In-built	

RPW150H

Working pressure:	150bar
Flow rate:	378l/h
Motor power:	1800W
Hose length:	7,5m
Lance nozzle connection:	Quick Connect
Detergent tank:	In-built

PRESSURE WASHER ACCESSORIES

PRESSURE WASHER ACCESSORIES

Expand-it™ Accessories are a series of products designed to enhance your pressure washer cleaning power and efficiency. Due to the innovative Expand-it™ connection system and Universal Brand fit™ these accessories are compatible with all popular pressure washers.

Hoses			
PWA101	Replacement / Extension Hose – 8m	0	M22 x 14/15mm compatible union at both ends.
ArtNo.: 5132000156	EAN Code: 4892210809674	9	Includes a 22mm adaptor for extending hoses
PWA102	Replacement / Extension Hose – 12m	\circ	M22 x 14/15mm compatible union at both ends.
ArtNo.: 5132000157	EAN Code: 4892210809681	Θ	Includes a 22mm adaptor for extending hoses
PWA199	Starter Kit		Includes pressure washer gun, lance, 8m hose and
ArtNo.: 5132000158	EAN Code: 4892210811158		25° nozzle for general cleaning
Guns & Lances			
PWA201	Pressure Washer Gun		With M22 hose connection. Requires compatible lance
ArtNo.: 5132000159	EAN Code: 4892210809728		– eg PWA204.
PWA202 ArtNo.: 5132000160	High Performance Pressure Washer Gun EAN Code: 4892210809735		With M22 hose connection. Requires compatible lance – eg PWA205 / PWA204.
PWA204 ArtNo.: 5132000161	Universal Lance EAN Code: 4892210809742	0	Lance featuring Quick Connect nozzle attachment. Includes bayonet pack for compatibility with existing pressure washe guns, and a 25° nozzle for general cleaning.
PWA205 ArtNo.: 5132000162	Metal Lance EAN Code: 4892210809759	•	Fits any M22-pressure washer gun. Features a Quick Connect attachment for a wide choice of cleaning nozzles.
PWA208 ArtNo.: 5132000163	Underbody Lance EAN Code: 4892210809773		Fits any pressure washer gun via supplied bayonets.
PWA209 ArtNo.: 5132000164	Drain Cleaner – 15m EAN Code: 4892210809780	0	Fits onto pressure washer gun via M22 or supplied bayonets Self-propelling to clear blockages from pipes or drains.
Adaptors & Conn	ectors		
PWA300	Kärcher Adaptor	1	Connects Universal Lance and Brushes to Kärcher guns.
ArtNo.: 5132000165		-	
PWA301 ArtNo.: 5132000166	Bosch / MacAllister Adaptor EAN Code: 4892210809803	i	Connects Universal Lance and Brushes to Bosch, MacAllister and other FAIP guns.
PWA302	Ryobi / Homelite / Black&Decker Adaptor		Connects Universal Lance and Brushes to Ryobi (RPW100/120
1 11/1002	Tryobi / Tiornolite / Diacka Decker Adaptor		
ArtNo.: 5132000167		•	E/S), Homelite (HPW080E), Black&Decker and other AR guns.
		<u> </u>	E/S), Homelite (HPW080E), Black&Decker and other AR guns. Connects Universal Lance and Brushes to Nilfisk and
ArtNo.: 5132000167 PWA303	EAN Code: 4892210809810	<u> </u>	
ArtNo.: 5132000167 PWA303	EAN Code: 4892210809810 Nilfisk / Lavor Adaptor	•	Connects Universal Lance and Brushes to Nilfisk and
ArtNo.: 5132000167 PWA303 ArtNo.: 5132000168	EAN Code: 4892210809810 Niifisk / Lavor Adaptor EAN Code: 4892210809827 M22 Adaptor	1	Connects Universal Lance and Brushes to Nilfisk and Lavor guns.
ArtNo.: 5132000167 PWA303 ArtNo.: 5132000168 PWA306	EAN Code: 4892210809810 Niifisk / Lavor Adaptor EAN Code: 4892210809827 M22 Adaptor	1	Connects Universal Lance and Brushes to Nilfisk and Lavor guns.



Nozzles			
PWA400 Art -No : 5132000171	0° Nozzle EAN Code: 4892210809872	A	Fits onto a Quick Connect nozzle attachment. Ideal for spot cleaning.
PWA401	15° Nozzle EAN Code: 4892210809889	<u></u>	Fits onto a Quick Connect nozzle attachment. Ideal for heavy cleaning.
PWA402	25° Nozzle EAN Code: 4892210809896	A	Fits onto a Quick Connect nozzle attachment. Ideal for general-purpose cleaning.
PWA403	40° Nozzle EAN Code: 4892210809902	rel	Fits onto a Quick Connect nozzle attachment. Ideal for light, delicate cleaning.
PWA404 ArtNo.: 5132000175	Soap / Rinse Nozzle EAN Code: 4892210809919	A	Fits onto a Quick Connect nozzle attachment. Ideal for applying detergent, or rinsing.
PWA405 ArtNo.: 5132000176	4-Nozzle Set EAN Code: 4892210809926		Fits onto a Quick Connect nozzle attachment. A set of cleaning nozzles stored in a convenient rubber holder.
PWA407 ArtNo.: 5132000177	6 in 1 Nozzle EAN Code: 4892210809940		Fits onto a Quick Connect nozzle attachment. 0°, 15°, 25°, Rinse, Low Pressure Soap and High Pressure Soap – all in 1 convenient nozzle.
PWA408 ArtNo.: 5132000178	4 in 1 Nozzle EAN Code: 4892210809957	(i)	Fits onto a Quick Connect nozzle attachment. 0°, 25°, Low Pressure Soap and High Pressure Soap – all in 1 convenient nozzle.
PWA409 ArtNo.: 5132000179	Turbo Nozzle EAN Code: 4892210809964	4	Fits onto a Quick Connect nozzle attachment. Dynamic jet for more powerful cleaning. Also knows as a 'Dirt Blaster'.
Brushes & Cleani	ng Heads		
PWA500 ArtNo.: 5132000180	Rotating Brush EAN Code: 4892210809995	<u> </u>	Fits onto pressure washer gun via the supplied bayonets. Ideal for cars and other vehicles, the high pressure water stream rotates the brush, to provide active cleaning Power.
PWA501 ArtNo.: 5132000181	Fixed Brush EAN Code: 4892210810007		Fits onto pressure washer gun via the supplied bayonets. The high pressure water stream makes cleaning easier and more effective.
PWA502 ArtNo.: 5132000182	Soft Bristle Wash Brush EAN Code: 4892210810014	<	Fits onto pressure washer gun via the supplied bayonets. The high pressure water stream makes cleaning easier and more effective.
PWA508 ArtNo.: 5132002271	Universal Patio Head EAN Code: 489221081278		Fits onto pressure washer gun via the supplied bayonets. The application of $2x$ high pressure water jets directly onto the target surface provides up to $10x$ faster cleaning, with consistant, streak-free results.



Index

Li-lon 36V & 48V Tools M4852L 48V Cordless Lawnmower 36V Lithium-ion 2,6Ah Hedge Trimmer 36V Lithium-ion 2,6Ah Line Trimmer 36V Lithium-ion 4,0Ah Bike Handle Brush Cutter 36V Lithium-ion 4,0Ah Ergo Handle Brush Cutter 36V Lithium-ion 2,6Ah Chainsaw 36V Lithium-ion Blower 36V Lithium-ion Blower 36V Lithium-ion 4,0Ah Lawnmower with LED battery indicator	- 15 11 11 12 12 13
M4852L 48V Cordless Lawnmower 1736 36V Lithium-ion 2,6Ah Hedge Trimmer 1736 36V Lithium-ion 2,6Ah Line Trimmer 1736 36V Lithium-ion 2,6Ah Line Trimmer 1736 36V Lithium-ion 4,0Ah Bike Handle Brush Cutter 1736 36V Lithium-ion 4,0Ah Ergo Handle Brush Cutter 1736 36V Lithium-ion 2,6Ah Chainsaw 1736 36V Lithium-ion 1,0Ah Lawnmower 1736 36V Lithium-ion 4,0Ah Lawnmower 1737 36V Lithium-ion Line Trimmer 1738 36V One Plus ™ EasyEdge Lithium-ion Line Trimmer 1738 31 18V One Plus ™ Lithium-ion Line Trimmer 1738 31 18V One Plus ™ Lithium-ion Hedge Trimmer 1738 31 18V One Plus ™ Lithium-ion Hedge Trimmer 1738 31 18V One Plus ™ Lithium-ion Hedge Trimmer 1738 31 18V One Plus ™ Lithium-ion Hedge Trimmer 1738 31 18V One Plus ™ Lithium-ion Hedge Trimmer 1738 31 18V One Plus ™ Lithium-ion Hedge Trimmer 1738 31 18V One Plus ™ Lithium-ion Hedge Trimmer 1738 31 18V One Plus ™ Long Reach Hedge Cutter Kit 1738 32 18V One Plus ™ Long Reach Hedge Cutter 1748 32 18V One Plus ™ Long Reach Hedge Cutter 1748 32 18V One Plus ™ Long Reach Hedge Cutter 1748 31V One Plus ™ Long Reach Hedge Cutter	1: 1: 1: 12
AT36 36V Lithium-ion 2,6Ah Hedge Trimmer AT36 36V Lithium-ion 2,6Ah Line Trimmer AT36 36V Lithium-ion 4,0Ah Bike Handle Brush Cutter AT36 36V Lithium-ion 4,0Ah Bike Handle Brush Cutter AT36 36V Lithium-ion 4,0Ah Ergo Handle Brush Cutter AT36 36V Lithium-ion 2,6Ah Chainsaw AT368 36V Lithium-ion Blower AT368 36V Lithium-ion 4,0Ah Lawnmower AT36840L1 18V One Plus™ EasyEdge Lithium-ion Line Trimmer AT385L1 18V One Plus™ EasyEdge Lithium-ion Line Trimmer AT3831 18V One Plus™ Lithium-ion Line Trimmer AT3850L1 18V One Plus™ Lithium-ion Hedge Trimmer AT3850L1 18V One Plus™ Long Reach Hedge Cutter	1° 1° 12
36V Lithium-ion 2,6Ah Line Trimmer 3636X26B 36V Lithium-ion 4,0Ah Bike Handle Brush Cutter 36SA6E 36V Lithium-ion 4,0Ah Ergo Handle Brush Cutter 36SA6 36V Lithium-ion 2,6Ah Chainsaw 36V Lithium-ion Blower 36V Lithium-ion 4,0Ah Lawnmower 36V Lithium-ion 1,0Ah Lawnmower 36V Lithium-ion Line Trimmer 36V One Plus™ EasyEdge Lithium-ion Line Trimmer 37N 18V One Plus™ Lithium-ion Line Trimmer 37N 18V One Plus™ Lithium-ion Hedge Trimmer 37N 18V One Plus™ Lithium-ion Hedge Trimmer 37N 18V One Plus™ Lithium-ion Hedge Trimmer 37N 18V One Plus™ Long Reach Hedge Cutter	1: 12 12
ACGENZEGE	12 12
C36X26E 36V Lithium-ion 4,0Ah Ergo Handle Brush Cutter 36V Lithium-ion 2,6Ah Chainsaw 36V Lithium-ion Blower 36V Lithium-ion 4,0Ah Lawnmower 36V Lithium-ion 6,0Ah Lawnmower 36V Lithium-ion Line Trimmer 36V One Plus 18V EasyEdge Lithium-ion Line Trimmer 37880L1 18V One Plus 18V EasyEdge Lithium-ion Line Trimmer 38V One Plus 18V Lithium-ion Line Trimmer 38V One Plus 18V Lithium-ion Hedge Trimmer 38V One Plus 18V Lithium-ion Hedge Trimmer 38V One Plus 18V One Plus 18V Lithium-ion Hedge Trimmer 38V One Plus 18V One Plus 18V Long Reach Hedge Cutter 38V One Plus 18V One Plus 18V Long Reach Hedge Cutter 38V One Plus 18V One Plus 18V Long Reach Hedge Cutter 38V One Plus 18V One Plus 38V One Plus 18V One Plus 38V One	12
36V Lithium-ion 2,6Ah Chainsaw 36V Lithium-ion Blower 36V Lithium-ion Blower 36V Lithium-ion 4,0Ah Lawnmower with LED battery indicator 200 Plus™ 18V & TEK4™ Tools 36V Lithium-ion Line Trimmer 36V One Plus™ EasyEdge Lithium-ion Line Trimmer 371825 18V One Plus™ EasyEdge Lithium-ion Line Trimmer 371830L1 18V One Plus™ Lithium-ion Line Trimmer 371850L1 18V One Plus™ Lithium-ion Hedge Trimmer 371850L1 18V One Plus™ Long Reach Hedge Cutter	
36V Lithium-ion Blower 36V Lithium-ion Blower 36V Lithium-ion 4,0Ah Lawnmower with LED battery indicator 200 Plus™ 18V & TEK4™ Tools 36V Lithium-ion Line Trimmer 36V One Plus™ EasyEdge Lithium-ion Line Trimmer 36V One Plus™ EasyEdge Lithium-ion Line Trimmer 36V One Plus™ Lithium-ion Line Trimmer 36V One Plus™ Lithium-ion Line Trimmer 36V One Plus™ Lithium-ion Hedge Trimmer 36V One Plus™ Long Reach Hedge Cutter 36V Lithium-ion Hedge Cutter	13
.M36X40 36V Lithium-ion 4,0Ah Lawnmower .M36X40LI 36V Lithium-ion 4,0Ah Lawnmower .M36X40H 36V Lithium-ion 4,0Ah Lawnmower .M36X40L 36V Lithium-ion Line Trimmer .M36X40L 18V One Plus™ EasyEdge Lithium-ion Line Trimmer .M3830LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer .M3830LI 18V One Plus™ Lithium-ion Line Trimmer .M3830LI 18V One Plus™ Lithium-ion Hedge Trimmer .M3850LI 18V One Plus™ Lithium-ion Hedge Trimmer .M3850LI 18V One Plus™ Lithium-ion Hedge Trimmer .M3850XLI 18V One Plus™ Long Reach Hedge Cutter .M36X40LI 18V One Plus™ Pole Saw Kit	
.M36X40LI 36V Lithium-ion 4,0Ah Lawnmower 36V Lithium-ion Line Trimmer 36V	13
M36X40H 36V Lithium-ion 4,0Ah Lawnmower 36V Lithium-ion 4,0Ah Lawnmower with LED battery indicator One Plus™ 18V & TEK4™ Tools 16 T1825LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ Lithium-ion Line Trimmer T1850LI 18V One Plus™ Lithium-ion Line Trimmer T1850LI 18V One Plus™ Lithium-ion Hedge Trimmer T1850LI 18V One Plus™ Lithium-ion Hedge Trimmer T1850XLI 18V One Plus™ Lithium-ion Hedge Trimmer T1850XLI 18V One Plus™ Long Reach Hedge Cutter Kit T1850X 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Pole Saw Kit	14
M36X40L 36V Lithium-ion 4,0Ah Lawnmower with LED battery indicator One Plus™ 18V & TEK4™ Tools 16 T1825LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ Lithium-ion Line Trimmer T1851 18V One Plus™ Lithium-ion Line Trimmer T11850LI 18V One Plus™ Lithium-ion Hedge Trimmer T11850LI 18V One Plus™ Lithium-ion Hedge Trimmer T11850XLI 18V One Plus™ Long Reach Hedge Cutter Kit T1850X 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Pole Saw Kit	14
with LED battery indicator One Plus™ 18V & TEK4™ Tools 16 T1825LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ Lithium-ion Line Trimmer T1851 18V One Plus™ Lithium-ion Line Trimmer IT1850LI 18V One Plus™ Lithium-ion Hedge Trimmer IT1851 18V One Plus™ Lithium-ion Hedge Trimmer IT1850XLI 18V One Plus™ Long Reach Hedge Cutter Kit IT1850X 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Long Reach Hedge Cutter 18V One Plus™ Long Reach Hedge Cutter 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Pole Saw Kit	14
One Plus™ 18V & TEK4™ Tools T1825LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ Lithium-ion Line Trimmer T1881 18V One Plus™ Lithium-ion Line Trimmer I11850LI 18V One Plus™ Lithium-ion Hedge Trimmer I11851 18V One Plus™ Lithium-ion Hedge Trimmer I11850XLI 18V One Plus™ Long Reach Hedge Cutter Kit I11850X 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Long Reach Hedge Cutter	
T1825LI 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1825 18V One Plus™ EasyEdge Lithium-ion Line Trimmer T1830LI 18V One Plus™ Lithium-ion Line Trimmer T1831 18V One Plus™ Lithium-ion Line Trimmer IT1850LI 18V One Plus™ Lithium-ion Hedge Trimmer IT1851 18V One Plus™ Lithium-ion Hedge Trimmer IT1850XLI 18V One Plus™ Lithium-ion Hedge Cutter Kit IT1850X 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Pole Saw Kit	18
T1825 18V One Plus™ EasyEdge Lithium-ion Line Trimme T1830Li 18V One Plus™ Lithium-ion Line Trimmer T1831 18V One Plus™ Lithium-ion Line Trimmer 181450Li 18V One Plus™ Lithium-ion Hedge Trimmer 181551 18V One Plus™ Lithium-ion Hedge Trimmer 181550XLi 18V One Plus™ Long Reach Hedge Cutter Kit 181550X 18V One Plus™ Long Reach Hedge Cutter 181520Li 18V One Plus™ Long Reach Hedge Cutter 181520Li 18V One Plus™ Long Reach Hedge Cutter 181520Li 1815 One Plus™ Pole Saw Kit	– 2°
T1825 18V One Plus™ EasyEdge Lithium-ion Line Trimme T1830Li 18V One Plus™ Lithium-ion Line Trimmer T1831 18V One Plus™ Lithium-ion Line Trimmer 181450Li 18V One Plus™ Lithium-ion Hedge Trimmer 181551 18V One Plus™ Lithium-ion Hedge Trimmer 181550XLi 18V One Plus™ Long Reach Hedge Cutter Kit 181550X 18V One Plus™ Long Reach Hedge Cutter 181520Li 18V One Plus™ Long Reach Hedge Cutter 181520Li 18V One Plus™ Long Reach Hedge Cutter 181520Li 1815 One Plus™ Pole Saw Kit	r 17
T1830LI 18V One Plus™ Lithium-ion Line Trimmer 18131 18V One Plus™ Lithium-ion Line Trimmer 181850LI 18V One Plus™ Lithium-ion Hedge Trimmer 181851 18V One Plus™ Lithium-ion Hedge Trimmer 181850XLI 18V One Plus™ Long Reach Hedge Cutter Kit 181850X 18V One Plus™ Long Reach Hedge Cutter 181850X 18V One Plus™ Long Reach Hedge Cutter 181850X 18V One Plus™ Pole Saw Kit	
T1831 18V One Plus™ Lithium-ion Line Trimmer 18V One Plus™ Lithium-ion Hedge Trimmer 18V One Plus™ Lithium-ion Hedge Trimmer 18V One Plus™ Lithium-ion Hedge Trimmer 18V One Plus™ Long Reach Hedge Cutter Kit 18V One Plus™ Long Reach Hedge Cutter PP1820L1 18V One Plus™ Pole Saw Kit	17
HT1850LI 18V One Plus™ Lithium-ion Hedge Trimmer 18V One Plus™ Lithium-ion Hedge Trimmer 18V One Plus™ Long Reach Hedge Cutter Kit 18V One Plus™ Long Reach Hedge Cutter P1820LI 18V One Plus™ Pole Saw Kit	17
HT1851 18V One Plus™ Lithium-ion Hedge Trimmer HT1850XLI 18V One Plus™ Long Reach Hedge Cutter Kit HT1850X 18V One Plus™ Long Reach Hedge Cutter PT1820LI 18V One Plus™ Pole Saw Kit	17
HT1850XLI 18V One Plus™ Long Reach Hedge Cutter Kit HT1850X 18V One Plus™ Long Reach Hedge Cutter PP1820LI 18V One Plus™ Pole Saw Kit	17
IT1850X 18V One Plus™ Long Reach Hedge Cutter PP1820LI 18V One Plus™ Pole Saw Kit	18
PP1820LI 18V One Plus™ Pole Saw Kit	18
PP1820 18V One Plus™ Blower	19
	19
PS1821 18V One Plus™ Pruner	19
3L1802 18V One Plus™ Blower	20
3\$1821 18V One Plus™ Shear & Shrubber	20
GS410 TEK4™ Lithium-ion Shear Shrubber	2
.P416 TEK4™ Lithium-ion Lopper	2
SSLP4 Lopper and Shear Shrubber Kit	2
Battery & Charger Summary 22	

Lawn Ca	re Tools 2	8 – 45
Petrol To	ols 2	9 – 33
RLT26CDS	26cc PoWR LT2™ Series Line Trimmer	29
RBC26SESB	26cc PoWR LT2™ Series Brush Cutter	29
RBC26SBB	26cc PoWR LT2™ Series Bike Handle Brush Cutte	er 29
RLT30CESA	30cc PoWR LT2™ Series Line Trimmer	30
RBC30SESB	30cc PoWR LT2™ Series Brush Cutter	30
RBC30SBSB	30cc PoWR LT2™ Series Bike Handle Brush Cutte	er 30
RLT430CESB	30cc PoWR LT4™ Series 4 Cycle Line Trimmer	31
RBC430SESC	30cc PoWR LT4™ Series	
	4 Cycle Ergo Handle Brush Cutter	31
RBC430SBSC	30cc PoWR LT4™ Series	
	4 Cycle Bike Handle Brush Cutter	31
RBC254FSB	25,4cc POWR XT™ Series Full Crank Brush Cutte	r 32
RBC42FSB	42cc POWR XT™ Series Full Crank Brush Cutter	33
RBC52FSB	52cc POWR XT™ Series Full Crank Brush Cutter	33
Expand-i	t™ Attachments 3	4 – 35
AHF05	Articulating Hedge Trimmer	35
AHF03	Hedge Trimmer	35
APR04	Pole Pruner	35
AEX002	Extension Shaft	35
ABE04	Blower	35
AQTT03	Cultivator	35
ABC03	Brush Cutter	35
ALT03	Line Trimmer	35
Electric ⁻	Tools 3	6 – 37
RLT3025S	300W Line Trimmer	36
RLT4027	400W Line Trimmer	36
RLT5030S	500W EasyEdge™ Line Trimmer	36
RLT7038	700W Rear Mount Line Trimmer	37
RLT1038	1000W Rear Mount Line Trimmer	37
RBC1020	1000W Brush Cutter	37
Petrol La	wnmowers 3	8 – 41
	140cc 46cm Self-propelled Mulching Lawnmower	r 39
HLW4617SME	Subaru® 175cc 46cm Self-propelled Mulching Lawnmower	39
RLM5317SME	Subaru® 175cc 53cm Self-propelled Mulching	
	Lawnmower	40
RLM5319SMEE	3 Subaru® 190cc 53cm Self-propelled Mulching	
	Lawnmower	40
RLM1451ME		41
RLM1956MEB	Subaru® 190cc Mulching Lawnmower	41
		2 – 45



Index

Tree & H	edge Care Tools	16 – 55
Petrol C	hainsaws	17 – 48
RCS4235B	42cc POWR XT™ Series Chainsaw (35cm bar)	47
RCS4240B	42cc POWR XT™ Series Chainsaw (40cm bar)	47
RCS5133CB	51cc POWR XT™ Series Chainsaw (35cm bar)	48
RCS5140B	51cc POWR XT™ Series Chainsaw (40cm bar)	48
RCS5145B	51cc POWR XT™ Series Chainsaw (45cm bar)	48
Electric	Chainsaws & Pole Pruner	19 – 50
RCS1835	1800W Electric Chainsaw	49
RCS2040	2000W Electric Chainsaw	49
RPP720	720W Electric Pole Pruner	50
Petrol H	edge Trimmer	50
RHT2660R	26cc PoWR LT2™ Series Hedge Trimmer	50
Electric	Hedge Trimmers	51 – 53
RHT4245	420W Electric Hedge Trimmer	51
RHT5050	500W Electric Hedge Trimmer	51
RHT5555R	550W Electric Hedge Trimmer	52
RHT6260RL	620W Electric Hedge Trimmer with HedgeSweep	™ 52
RHT7065RL	700W Electric Hedge Trimmer with HedgeSweep	™ 53
RPT4045	400W Pole Hedge Trimmer	53
RHT450X	450W Extended Reach Hedge Trimmer	53
Range S	ummary & Accessories	54 – 55

Garden [*]	Tidy Up	56 – 63
Petrol Bl	lowers and Vacs	57 – 58
RBV26	26cc PoWR LT2™ Series Blower Vac	57
RBL26BP	26cc Petrol Backpack Blower	57
RBL42BP	42cc POWR XT™ Series Backpack Blower	58
RBL30MVB	30cc Petrol Blower Vac with PowerMulching™	58
Electric B	Blowers & Vacs/Shredders/Cultivator	59 – 60
RBV2800S RBV3000VP	2800W Electric Blower Vac with PowerMulchin 3000W Variable Speed Electric Blower Vac	g™ 59
	with PowerMulching™	59
RSH2455	2400W Electric 'Quiet' Shredder/Mulcher	59
RSH2400R	2400W Electric Shredder/Mulcher	60
RCP1000	1020W Electric Cultivator	60
Electric I	Log Splitters / Invertor Generator	61
RLS4A	1500W Electric Log Splitter	61
RLS5A	2200W Electric Log Splitter	61
RIG2000	Invertor Generator	61
Range S	ummary & Accessories	62 – 63

Pressure Washers 64 – 67				
Petrol P	ressure Washer	65		
RPW2400	172bar Petrol Pressure Washer	65		
Electric	Pressure Washers	65		
RPW140H	140bar Electric Pressure Washer	65		
RPW150H	150bar Electric Pressure Washer	65		
Range S	Summary & Accessories	66 – 67		







Dealer stamp:			